Journal of Applied Polymer Science

Author Index—Volume 71

Aaserud, D. J. See Denes, F., 1627
Aburto, J. See Bikiaris, D., 1089
Aerts, L. M. See Namhata, S., 311
Agarwal, R.
—; Bell, J. P.: Electropolymerization of 2-Methacryloyloxy(ethyl)acetoacetate on Aluminum Using a Novel Initiation Method, 1665
Agarwal, S.
—; Sumana, G.; Gupta, D. C.: Erratum to "Poly(2-hydroxyethyl methacrylate)-Based Hydrogels for Slow Release of Pralidoxime Chloride", 1039
Ahn, K.-D.
—; Chung, C.-M.; Kim, Y.-H.: Synthesis and Photopolymerization of Multifunctional Methacrylates Derived from Bis-GMA for Dental Applications, 2033
Ahn, T. O. See Lee, S.-S., 1187
Akar, A. See Atici, O. G., 1385
Akashi, M. See Kato, S., 1049
Akhunzada, K. S. See Idriss Ali, K. M., 841
Alger, K. W. See Zeronian, S. H., 1163
Alric, I. See Bikiaris, D., 1089
Ampudia, J.
—; Arrauri, E. L.; Gil, E. M.; Rodríguez, M.; León, L. M.: Thermal Scanning Rheometric Analysis of Curing Kinetic of an Epoxy Resin. I. An Anhydride as Curing Agent, 1239
Aniskevich, K.
—; Hristova, J.: Prediction of Creep of Polymer Concrete, 1949
Antonov, Y. A.
—; Lefebvre, J.; Doublier, J.-L.: On the One-Phase State of Aqueous Protein-Uncharged Polymer Systems: Casein-Guar Gum System, 471
Antony, P.
—; Bhattacharya, A. K.; De, S. K.: Ionomeric Polyblends of Zinc Salts of Maleated EPDM Rubber and Poly(ethylene-*co*-acrylic acid). II. Effect of Zinc Stearate on Processability, 1257
—; De, S. K.: Ionomeric Polyblends of Zinc Salts of Maleated EPDM Rubber and Poly(ethylene-*co*-acrylic acid): Part I. Effect of Blend Ratio, 1247
Aouadi, K. See Chin, J. W., 483
Apostolov, A. A.
—; Fakirov, S.; Vassileva, E.; Patil, R. D.; Mark, J. E.: DSC and TGA Studies of the Behavior of Water in Native and Crosslinked Gelatin, 465
Argon, A. S. See Qin, J., 1469, 2319
Armentrout, R. S. See Williamson, S. L., 989
Arnold, J. C.
—; Taylor, J. E.: Improved Thermodynamic Approach for Predicting the ESC Behavior of Polycarbonate in Binary Liquid Mixtures, 2155
Arrauri, E. L. See Ampudia, J., 1239
Arya, S. S. See Jagannath, J. H., 1147
Atici, O. G.
—; Akar, A.; Ayar, Y.; Mecit, O.: Synthesis of Block Copolymers via Redox Polymerization, 1385
Ayar, Y. See Atici, O. G., 1385
Azam Ali, M. See Idriss Ali, K. M., 841

Baer, E. See Ebeling, T., 1461
Bag, D. S.
—; Kumar, V. P.; Maiti, S.: Chemical Modification of LDPE Film, 1041
Baik, K.-J. See Kim, J. Y., 431
Bakar, M. See Harani, H., 29
Baker, D. E. See Lynch, J. B., 319
Banerjee, A. N. See Rana, A. K., 531
—; See Saha, N., 541
Barbari, T. A. See Miguel, O., 2391
Basu, D. See Saha, N., 541
Beck, R. A.
—; Truss, R. W.: Effect of Curative and Stoichiometry on the Hysteresis in Polyurethane-ureas, 959
Behari, K.
—; Taunk, K.; Tripathi, M.: Cu^{+2}/Mandelic Acid Redox Pair Initiated Graft Copolymerization Acrylamide onto Guar Gum, 739
Beigzadeh, D.
—; Soares, J. B. P.; Hamielec, A. E.: Recipes for Synthesizing Polyolefins with Tailor-Made Molecular Weight, Polydispersity Index, Long-Chain Branching Frequencies, and Chemical Composition Using Combined Metallocene Catalyst Systems in a CSTR at Steady State, 1753
Bell, J. P. See Agarwal, R., 1665
Beretta, S. See Freddi, G., 1563
Berglund, L.
—; Ericson, M.; Skrifvars, M.: Microscopy of the Morphology in Low Styrene Emission Glass Fiber/Unsaturated Polyester Laminates, 1555
Bernede, J. C.
—; Taoudi, H.; Bonnet, A.; Molinie, P.; Morsli, M.; De Valle, M. A.; Diaz, F.: XPS and ESR Studies of Electrochemically Synthesized Polycarbazole Post-Doped with Iodine, 115
Betchev, C. See Bikiaris, D., 1089
Bhagawan, S. S. See Varghese, H., 2335
Bhattacharya, A. K. See Antony, P., 1257

—; See Ghosh, S., 1739
—; See Manna, A. K., 557
Bhatta, D. See Saha, A. K., 1505
Bhowmick, A. K. See De Sarkar, M., 1581
—; See Ghosh, S., 1739
Bikiaris, D.
—; Aburto, J.; Alric, I.; Borredon, E.; Botev, M.; Betchev, C.; Panayiotou, C.: Mechanical Properties and Biodegradability of LDPE Blends with Fatty-Acid Esters of Amylose and Starch, 1089
Bismarck, A.
—; Pfaffernoschke, M.; Song, B.; Springer, J.: Grafted Carbon Fibers and Their Physico-Chemical Properties. Part II. Grafting of Liquid Crystalline Methacrylic Monomers onto Carbon Fibers and the Influence of an Applied Voltage to the Carbon Fiber Embedded in a Liquid Crystalline Matrix, 1893
—; Pfaffernoschke, M.; Springer, J.: Grafted Carbon Fibers and Their Physicochemical Properties. I. Grafting of Methacrylic Acid onto Carbon Fibers, 1175
Bledzki, A. K. See Gassan, J., 623
Bonnet, A. See Bernede, J. C., 115
Borredon, E. See Bikiaris, D., 1089
Botev, M. See Bikiaris, D., 1089
Boutherin, B. See Chazeau, L., 1797
Bright, D. A. See Murashko, E. A., 1863
Britt, I. J. See Lim, L.-T., 197
Bruggeman, A.
—; Tinnemans, A. H. A.: Influence of the Type of Polyhydroxyether on Mechanical Properties of PET/TLCP/Polyhydroxyether Blends, 1125
—; Tinnemans, A. H. A.: Reactive Blending of Poly(ethylene terephthalate) with a Liquid Crystalline Copolyester and Polyhydroxyether, 1107
Brzozowski, Z. K. See Zadrożna, I., 1017
Byun, J.-M. See Shim, S.-E., 2259
Cai, Z. See Zhang, L., 1081
Caneba, G. T. See Wang, B., 761
Canova, G. See Chazeau, L., 1797
Cao, S.
—; Shi, Y.; Chen, G.: Pervaporation Separation of MeOH/MTBE through CTA Membrane, 377
Cárdenas, G. T.
—; Salgado, E. C.: Synthesis and Properties of Metal Poly(butyl acrylate), 547
Cartier, H. See Hu, G.-H., 125
Cavaillé, J. Y. See Chazeau, L., 1797
Chaki, T. K. See Sau, K. P., 887
Chan, C.-M. See Guo, B., 1827
Chan, V. K. See Kuo, P.-L., 805
Chan, W.-C.
—; Ferng, J.-C.: Mass Transport Process for the Adsorption of Cr(VI) onto Water-Insoluble Cationic Starch Synthetic Polymers in Aqueous Systems, 2409
Chang, F.-C. See Tseng, F.-P., 2129
Chang, J. See Wei, M., 303
Chang, S.-F. See Mi, F.-L., 747
Chang, X. See Su, Z., 819
Chaudhari, S.
—; Tare, V.: Heavy Metal–Soluble Starch Xanthate Interactions in Aqueous Environments, 1325
Cha, Y.-J. See Shim, S.-E., 2259
Chazeau, L.
—; Cavaillé, J. Y.; Canova, G.; Dendievel, R.; Boutherin, B.: Viscoelastic Properties of Plasticized PVC Reinforced with Cellulose Whiskers, 1797
Chen, C.-H.
—; Chen, W.-J.; Chen, M.-H.; Li, Y.-M.: Simultaneous Full-Interpenetrating Polymer Networks of Blocked Polyurethane and Vinyl Ester. II. Static and Dynamic Mechanical Properties, 1977
—; See Chu, L.-H., 39
Chen, C.-Y. See Ko, T.-H., 2219
Chen, D. See Wang, X., 665
Chen, G.
—; Yang, J.; Liu, J. J.: Preparation of the HIPS/MA Graft Copolymer and Its Compatibilization in HIPS/PA1010 Blends, 2017
—; See Cao, S., 377
Chen, G.-N.
—; Chen, K.-N.: Hybridization of Aqueous-Based Polyurethane with Glycidyl Methacrylate Copolymer, 903
Chen, J.-L.
—; Huang, H.-M.; Huang, M.-S.: Transesterification in Homogeneous Poly(e-caprolactone)-Epoxy Blends, 75
Chen, K.-J. See Yang, C.-P., 1691
Chen, K.-N. See Chen, G.-N., 903
Chen, L. See Xu, J., 897
Chen, L.-F. See Xu, Q., 1441
Chen, M.-H. See Chen, C.-H., 1977
Chen, R. H. See Tsaih, M. L., 1905
Chen, S.-C.
—; Hu, S.-Y.; Jong, W.-R.: Integrated Simulations of Structural Performance, Molding Process, and Warpage for Gas-Assisted Injection-Molded Parts. III. Simulation of Cyclic, Transient Variations in Mold Wall Temperatures, 339
Chen, W. See Xu, J., 897
Chen, W.-J. See Chen, C.-H., 1977
Chenfen, L. See Chuan, K. Y., 1139
Cheng, K.-C.
—; Lia, K. C.; Chiu, W.-Y.: Kinetic Approach for Epoxy Resins Cured with Diaminodiphenyl Sulfone Under Non-isothermal Conditions, 721
Chiang, W.-Y.
—; Hu, C.-H.: Polymer Blends with Modified Coupling Agent. II. Effects of LICA 44 Grafted Styrene–Maleic Anhydride Copolymer on Properties of Flame Retardant Acrylonitrile–Butadiene–Styrene Blends, 865
Chin, J. W.
—; Nguyen, T.; Aouadi, K.: Sorption and Diffusion of Water, Salt Water, and Concrete Pore Solution in Composite Matrices, 483
Chiu, W.-Y. See Cheng, K.-C., 721
—; See Chu, L.-H., 39
—; See Hsu, S.-C., 47
Cho, H. R. See Choi, S.-S., 1995

Cho, W.-J. See Kim, Y., 415
Choe, S. See Shim, S.-E., 2259
Choi, S.-H.
—; Nho, Y. C.: Adsorption of Co^{2+} and Cs^{1+} by Polyethylene Membrane with Iminodiacetic Acid and Sulfonic Acid Modified by Radiation-Induced Graft Copolymerization, 999
—; Nho, Y. C.: Adsorption of Co^{2+} by Stylene-*g*-Polyethylene Membrane Bearing Sulfonic Acid Groups Modified by Radiation-Induced Graft Copolymerization, 2227
—; Nho, Y. C.; Kim, G.-T.: Adsorption of Pb^{2+} and Pd^{2+} on Polyethylene Membrane with Amino Group Modified by Radiation-Induced Graft Copolymerization, 643
Choi, S.-S.
Migration Behaviors of Antiozonants to the Surface in NR Vulcanizates, Depending on the Season: The Effect of Wax, 1987
—; Kim, H.; Kim, J. I.; Cho, H. R.; Oh, D. K.: Analysis of Unbound Materials in Carbon-Black-Filled NR Vulcanizates, 1995
Choudhury, R. N. P. See Kundu, P. P., 551
Chu, L.-H.
—; Chiu, W.-Y.; Chen, C.-H.; Tseng, H.-C.: A Modified Rheological Model of Viscosities for BR–SBS Blends, 39
Chuan, K. Y.
—; Chenfen, L.; Zongneng, Q.: Crystallization, Properties, and Crystal and Nanoscale Morphology of PET–Clay Nanocomposites, 1139
Chung, C.-M. See Ahn, K.-D., 2033
Cimmino, S. See Silvestre, C., 1677
Cincu, C. See Zerroukhi, A., 1447
Cohen, R. E. See Qin, J., 1469, 2319
Cooray, B. See De Wet-Roos, D., 1347
Covas, J. A. See Machado, A. V., 135
Cuadrado, T. R. See Gonzalez, M. F., 1223
Cui, C. See Xu, J., 897
Čunko, R.
—; Gambiroža-Jukić, M.; Pezelj, E.: The Influence of Light on the Thermal Decomposition of Polypropylene Fibers, 2237
Czaja, K.
—; Król, B.: Nature of Activating Effect of Two-Step Polymerization of Propylene, 353

Dai, Y. See Jian, X. G., 2385
Dar, Y. See Wang, B., 761
Dashevsky, S. See Murashko, E. A., 1863
Das, S. See Saha, A. K., 1505
Delair, T. See Ladaviere, C., 927
Dendievel, R. See Chazeau, L., 1797
Denes, F.
—; Hua, Z. Q.; Simonsick, W. J.; Aaserud, D. J.: Synthesis and Characterization of Teflon-Like Macromolecular Structures from Dodecafluorocyclohexane and Octadecafluorodecalin Under RF-Cold-Plasma Conditions, 1627
Deng, X. M.
—; Yuan, M. L.; Xiong, C. D.; Li, X. H.: Polymerization of Lactides and Lactones. 2. Ring-Opening Polymerization of ε-Caprolactone and DL-Lactide by Organoacid Rare Earth Compounds, 1941
Deng, Y. See Xu, J., 897
Denizli, A.
—; Kesenci, K.; Salih, B.; Şenel, S.; Pişkin, E.: Metal Chelating Properties of Cibacron Blue F3GA-Derived Poly(EGDMA-HEMA) Microbeads, 1397
De, P. P. See De Sarkar, M., 1581
—; See Manna, A. K., 557
Desai, S. See Thakore, I. M., 1851
De Sarkar, M.
—; De, P. P.; Bhowmick, A. K.: Influence of Styrene Content on the Hydrogenation of Styrene–Butadiene Copolymer, 1581
De, S. K. See Antony, P., 1247, 1257
—; See Manna, A. K., 557
De Valle, M. A. See Bernede, J. C., 115
Devi, S. See Thakore, I. M., 1851
De Wet-Roos, D.
—; Knoetze, J. H.; Cooray, B.; Sanderson, R. D.: Emulsion Polymerization of an Epoxy-Acrylate Emulsion Stabilized with Polyacrylate. I. Influence of Salt, Initiator, Neutralizing Amine, and Stirring Speed, 1347
De Yao, K.
—; Liu, W. G.; Liu, J.: The Unique Characteristics of Water in Chitosan–Polyether Semi-IPN Hydrogel, 449
—; See Wei, M., 303
Dezhu, M. See Hongjun, C., 93, 103
Dezotti, M. See Pinho, M. S., 2329
Diaz, F. See Bernede, J. C., 115
Didier, J. G. See Kolbert, A. C., 523
Di Lorenzo, M. L. See Silvestre, C., 1677
Ding, R. See He, L., 1315
Dixon, H. See He, L., 1315
Domard, A. See Ladaviere, C., 927
Domingo, B. J.
—; Morris, S. A.: Mechanical Performance Studies on Extruded Cornstarch-Based Plastic Manufactures, 2147
Doublier, J.-L. See Antonov, Y. A., 471
Drinkenburg, A. A. H. See Kemmere, M. F., 2419
Du, Q. See Guo, Y., 693
Du, Z.-J. See Zhang, B.-L., 177

Easteal, A. J. See Wang, Y., 1303
Ebeling, T.
—; Norek, S.; Hasan, A.; Hiltner, A.; Baer, E.: Effect of a Tie Layer on the Delamination Toughness of Polypropylene and Polyamide-66 Microlayers, 1461
Ebener, H.
—; Pleuger, B.; Petermann, J.: Stress and Strain Oscillations in Syndiotactic Polypropylene and in Poly(Ethyleneterephthalate), 813

Eduljee, R. F. See VanLandingham, M. R., 699, 787
Eguchi, M. See Hayashi, S., 1491
Ekinci, E. See Özden, M., 2141
El-Atawy, S. See Ramadan, T. A., 401
El Mansouri, H.
—; Yagoubi, N.; Scholler, D.; Feigenbaum, A.; Ferrier, D.: Propylene Oligomers: Extraction Methods and Characterization by FTIR, HPLC, and SEC, 371
Erbay, E.
—; Okay, O.: Pore Memory of Macroporous Styrene–Divinylbenzene Copolymers, 1055
Ericson, M. See Berglund, L., 1555
Escaig, B. See Seguela, R., 1873
Estrin, Ya. J. See Mikhailov, Yu. M., 953

Failla, M. D.
—; Vallés, E. M.; Lyons, B. J.: Effect of Initial Crystallinity on the Response of High-Density Polyethylene to High-Energy Radiation, 1375
Fakirov, S. See Apostolov, A. A., 465
Fang, K. See Qiu, W., 847
Feigenbaum, A. See El Mansouri, H., 371
Fellahi, S. See Harani, H., 29
Feng, L. See Xu, J., 897
Feng, L. X. See Wang, L., 2087
Ferng, J.-C. See Chan, W.-C., 2409
Ferreira, L. A. S. See Hage, E., 423
Ferrier, D. See El Mansouri, H., 371
Fillon, B. See Seguela, R., 1873
Fouda, A. E. See Yamasaki, A., 1367
Fouda, I. M.
—; Seisa, E. A.; Oraby, A. H.: Optothermal Properties of Fibers: 12-Interferometric Investigation for Thermally Treated Viscose Fibers, 361
Francis, D. J. See Nair, P. R., 1731
Freddi, G.
—; Tsukada, M.; Beretta, S.: Structure and Physical Properties of Silk Fibroin/Poly-Acrylamide Blend Films, 1563
Friedrich, J. See Geng, S., 1231

Gähde, J. See Geng, S., 1231
Gambiroža-Jukić, M. See Čunko, R., 2237
Ganina, L. V. See Mikhailov, Yu. M., 953
Garcia, R. See Pizzi, A., 915
Garg, S.
—; Gupta, S. K.; Saraf, D. N.: On-Line Optimization of Free Radical Bulk Polymerization Reactors in the Presence of Equipment Failure, 2101
Gassan, J.
—; Bledzki, A. K.: Alkali Treatment of Jute Fibers: Relationship between Structure and Mechanical Properties, 623
Geil, P. H. See Lai, H.-M., 1267
Geng, S.
—; Friedrich, J.; Gähde, J.; Guo, L.: Surface-Enhanced Infrared Absorption (SEIRA) and Its Use in Analysis of Plasma-Modified Surface, 1231
Ghasemzadeh, S. See Zhang, Y., 11
Ghosh, S.
—; Bhattacharyya, A. K.; Khastgir, D.; Bhowmick, A. K.: Melt Rheology of Segmented Polyamides: Effect of Block Molecular Weight, 1739
Gibbon, J. D. See Zeronian, S. H., 1163
Gil, E. M. See Ampudia, J., 1239
Gillespie, J. W., Jr. See VanLandingham, M. R., 699, 787
Gonzalez-De Los Santos, E. A.
—; Lozano-González, M. J.; Johnson, A. F.: Photoresponsive Polyurethane–Acrylate Block Copolymers. II. Photomechanical Effects in Copolymers Containing 6′-Nitro Spiropyranes and 6′-Nitro-bis-Spiropyranes, 267
—; Lozano-González, M. J.; Johnson, A. F.: Photoresponsive Polyurethane–Acrylate Block Copolymers. I. Photochromic Effects in Copolymers Containing 6′-Nitro Spiropyranes and 6′-Nitro-bis-Spiropyranes, 259
Gonzalez, M. F.
—; Ruseckaite, R. A.; Cuadrado, T. R.: Structural Changes of Polylactic-Acid (PLA) Microspheres under Hydrolytic Degradation, 1223
Gonzalez, M. L. See Valea, A., 21
Gopala, A.
—; Wu, H.; Xu, J.; Heiden, P.: Investigation of Readily Processable Thermoplastic-Toughened Thermosets: IV. BMIs Toughened with Hyperbranched Polyester, 1809
Gorelova, M. M. See Pinho, M. S., 2329
Goswami, T. H.
—; Maiti, M. M.: Water Swellability and Tensile Properties of Plasticized Cured Gelatin–Trimethylolphenol Blends, 1721
Groeninckx, G. See Thomas, S., 1405
Gu, B. See Guo, Y., 693
Guan, Q. See Zhang, G., 799
Guest, M. J. See Namhata, S., 311
Gunatillake, P. A. See Martin, D. J., 937
Guo, B.
—; Chan, C.-M.: Chain Extension of Poly(butylene terephthalate) by Reactive Extrusion, 1827
Guo, L. See Geng, S., 1231
Guo, Q. See Tang, H., 387
Guo, Y.
—; Gu, B.; Lu, Z.; Du, Q.: Study on the Segmental Interaction Parameter between Ethylene and Vinylacetate Monomer Units of EVA by Inverse Gas, 693
Gupta, A. K. See Jafari, S. H., 1153
Gupta, D. C. See Agarwal, S., 1039
Gupta, N. See Pande, C. S., 2163
Gupta, S. K. See Garg, S., 2101
Güven, O. See Şolpan, D., 1515

Ha, C.-S. See Kim, Y., 415
Hage, E.
—; Ferreira, L. A. S.; Manrich, S.; Pessan, L. A.: Crystallization

Behavior of PBT/ABS Polymer Blends, 423
Hamielec, A. E. See Beigzadeh, D., 1753
Han, M. G.
—; Im, S. S.: Electrical and Structural Analysis of Conductive Polyaniline/Polyimide Blends, 2169
Han, X. See Li, J., 7
Haralabakopoulos, A. A.
—; Tsiourvas, D.; Paleos, C. M.: Chain Extension of Poly(ethylene terephthalate) by Reactive Blending Using Diepoxides, 2121
Harani, H.
—; Fellahi, S.; Bakar, M.: Toughening of Epoxy Resin Using Hydroxyl-Terminated Polyesters, 29
Hasan, A. See Ebeling, T., 1461
Hashim, A. S. See Yamada, N., 855
Hashimoto, T. See Nakanishi, S., 975
Hayashi, S.
—; Kim, H.-J.; Kajiyama, M.; Ono, H.; Mizumachi, H.; Zufu, Z.: Miscibility and Pressure-Sensitive Adhesive Performances of Acrylic Copolymer and Hydrogenated Rosin Systems, 651
—; Takeuchi, Y.; Eguchi, M.; Iida, T.; Tsubokawa, N.: Graft Polymerization of Vinyl Monomers Initiated by Peroxycarbonate Groups Introduced onto Silica Surface by Michael Addition, 1491
He, L.
—; Ding, R.; Leonov, A. I.; Dixon, H.; Quirk, R. P.: Viscoelastic Behavior of Polybutadienes with High 1,4-Microstructure and Narrow Molecular Weight Distribution, 1315
Heiden, P. See Gopala, A., 1809
Heller, J. See Wei, M., 303
Hiltner, A. See Ebeling, T., 1461
Hiramatsu, H. See Inagaki, N., 2091
Hongjun, C.
—; Xiaolie, L.; Dezhu, M.; Jianmin, W.; Hongsheng, T.: Structure and Properties of Impact Copolymer Polypropylene. I. Chain Structure, 93
—; Xiaolie, L.; Xiangxu, C.; Dezhu, M.; Jianmin, W.; Hongsheng, T.: Structure and Properties of Impact Copolymer Polypropylene. II. Phase Structure and Crystalline Morphology, 103
Hongsheng, T. See Hongjun, C., 93
Hongsheng, T. See Hongjun, C., 103
Hong, S. M. See Lee, D.-H., 1071
Hoshi, M.
—; Ieshige, M.; Saitoh, T.; Nakagawa, T.: Separation of Aqueous Phenol through Polyurethane Membranes by Pervaporation. II. Influence of Diisocyanate and Diol Compounds and Crosslinker, 439
Hourston, D. J. See Zhang, H. X., 2049
Hristova, J. See Aniskevich, K., 1949
Hsiao, H.-C. See Yang, C.-P., 823
Hsiao, S.-H. See Yang, C.-P., 823
Hsu, S.-C.
—; Lee, C.-F.; Chiu, W.-Y.: Study on the Synthesis of Poly(methyl methacrylate)–Poly(methacrylic acid) Composite Latex and Their Humidity Sensitive Properties, 47
Hu, C.-H. See Chiang, W.-Y., 865
Hu, G.-H.
—; Cartier, H.: Styrene-Assisted Melt Free Radical Grafting of Glycidyl Methacrylate onto an Ethylene and Propylene Rubber, 125
Hu, S.-Y. See Chen, S.-C., 339
Hua, Z. See Mingyi, L., 215
Hua, Z. Q. See Denes, F., 1627
Huang, B. See Liu, S., 2253
Huang, B. See Zhao, H., 967
Huang, H.-M. See Chen, J.-L., 75
Huang, J.
—; Wang, Q.; Yao, J.; Zhang, L.; Sun, J.: Synthesis and Chemical Modification of New Epoxy Resins Containing Alkylaminopyridines, 1101
Huang, J.-F. See Zhang, B.-L., 177
Huang, M.-R. See Li, X.-G., 565, 1923
Huang, M.-S. See Chen, J.-L., 75
Hui, P. See Shiqiang, H., 2209

Ibhadon, A. O.
Crystallization Regimes and Reptation in Polypropylene Molecular Weight Fractions, 579
Ibonai, M. See Morita, Y., 189
Ichino, T. See Takeshita, Y., 1835
Idriss Ali, K. M.
—; Khan, M. A.; Azam Ali, M.; Akhunzada, K. S.: *In Situ* Jute Yarn Composite with Hema by UV Radiation, 841
Ieshige, M. See Hoshi, M., 439
Iida, T. See Hayashi, S., 1491
Ikeda, T.
—; Yamada, B.: Copolymerization of Zinc Methacrylate and Perfluoroalkyl Acrylates in Different Solvents, 1499
Im, S. S. See Han, M. G., 2169
Inagaki, N.
—; Tasaka, S.; Hiramatsu, H.: Preparation of Oxygen Gas Barrier Poly(ethylene terephthalate) Films by Deposition of Silicon Oxide Films Plasma-Polymerized from a Mixture of Tetramethoxysilane and Oxygen, 2091
—; Tasaka, S.; Umehara, T.: Effects of Surface Modification by Remote Hydrogen Plasma on Adhesion in Poly(tetrafluoroethylene)/Copper Composites, 2191
Inglesby, M. K. See Zeronian, S. H., 1163
Inui, K.
—; Noguchi, T.; Miyata, T.; Uragami, T.: Pervaporation Characteristics of Methyl Methacrylate–Methacrylic Acid Copolymer Membranes Ionically Crosslinked with Metal Ions for a Benzene/Cyclohexane Mixture, 233
Iroh, J. O.
—; Su, W.: Characterization of the Passive Inorganic Interphase and Polypyrrole Coatings Formed on Steel by the

Aqueous Electrochemical Process, 2075
—; See Su, W., 1293
Iruin, J. J. See Miguel, O., 2391
Ishizaki, N. See Koike, T., 207

Jafari, S. H.
—; Gupta, A. K.: Crystallization Behavior of Polypropylene in Polypropylene/Nylon 6 Blend, 1153
Jagannath, J. H.
—; Jayaraman, K. S.; Arya, S. S.: Studies on Glass Transition Temperature during Staling of Bread Containing Different Monomeric and Polymeric Additives, 1147
Jain, R. C. See Srinivasa Rao, G. S., 595
Jang, J.
—; Kim, E. K.: Corrosion Protection of Epoxy-Coated Steel Using Different Silane Coupling Agents, 585
Jar, P.-Y. B.
—; Wu, R. Y.; Kuboki, T.; Takahashi, K.; Shinmura, T.: Toughness of SMI-Modified ABS Alloys and the Associated Deformation Behavior, 1543
Järvelä, P. A. See Li, S., 1641, 1649
Järvelä, P. K. See Li, S., 1641, 1649
Jayaraman, K. S. See Jagannath, J. H., 1147
Jegal, J.
—; Lee, K.-H.: Chitosan Membranes Crosslinked with Sulfosuccinic Acid for the Pervaporation Separation of Water/Alcohol Mixtures (note), 671
Jeong, Y.-T. See Kang, K. K., 293
Jianfeng, L. See Mingyi, L., 215
Jiang, L. See Zhang, G., 799
Jianmin, W. See Hongjun, C., 93, 103
Jian, X. G.
—; Dai, Y.; Zeng, L.; Xu, R. X.: Application of Poly(Phthalazine Ether Sulphone Ketone)s to Gas Membrane Separation, 2385
Job, L.
—; Joseph, R.: Studies on Rubber-to-Nylon Tire Cord Bonding, 1197
Johnson, A. F. See Gonzalez-De Los Santos, E. A., 259, 267
Johnson, T.
—; Thomas, S.: Pervaporation of Acetone-Chlorinated Hydrocarbon Mixtures through Polymer Blend Membranes of Natural Rubber and Epoxidized Natural Rubber, 2365
Jonasson, K. See Yamasaki, A., 1367
Jong, W.-R. See Chen, S.-C., 339
Joseph, R. See Job, L., 1197
Jurkowska, B.
—; Olkhov, Y. A.; Jurkowski, B.; Olkhova, O. M.: Study of Butadiene Rubber Mastication and Mixing with Carbon Black, 729
Jurkowski, B.
—; Pesetskii, S. S.; Olkov, Y. A.; Krivoguz, Y. M.; Kelar, K.: Investigation of Molecular Structure of LDPE Modified by Itaconic Acid Grafting, 1771
—; See Jurkowska, B., 729

Kai, A. See Mondal, M. I. H., 1007
Kajiyama, M. See Hayashi, S., 651
Kanamori, T. See Kim, J. Y., 431
Kanapitsas, A.
—; Pissis, P.; Ribelles, J. L. G.; Pradas, M. M.; Privalko, E. G.; Privalko, V. P.: Molecular Mobility and Hydration Properties of Segmented Polyurethanes with Varying Structure of Soft- and Hard-Chain Segments, 1209
Kaneoka, H. See Mishima, S., 273
Kang, K. K.
—; Shiono, T.; Jeong, Y.-T.; Lee, D.-H.: Polymerization of Propylene by Using $Mg(OEt)_2$–DNBP–$TiCl_4$ Catalyst with Alkoxy Disilanes as External Donor, 293
Kaptan, H. Y.
ESR Study on the Effect of Temperature on the Diffusion of Oxygen into PMMA and PVAc Polymers, 1203
Karagözler, E. See Özden, M., 2141
Katakai, R. See Kondo, T., 251
Kato, S.
—; Ueno, Y.; Kishida, A.; Miyazaki, T.; Matsumoto, T.; Murata, Y.; Akashi, M.: Surface Characterization of Poly(styrene-*co*-fluoroalkylfumarate): XPS and Contact Angle Measurement Study, 1049
Kelar, K. See Jurkowski, B., 1771
Kemmere, M. F.
—; Mayer, M. J. J.; Meuldijk, J.; Drinkenburg, A. A. H.: The Influence of 4-*tert*-Butylcatechol on the Emulsion Polymerization of Styrene (Note), 2419
Kesenci, K. See Denizli, A., 1397
Khan, M. A. See Idriss Ali, K. M., 841
Khastgir, D. See Ghosh, S., 1739
—; See Sau, K. P., 887
Kim, E. K. See Jang, J., 585
Kim, G.-T. See Choi, S.-H., 643
Kim, H. See Choi, S.-S., 1995
—; See Schmitt, B. R., 1
Kim, H.-J. See Hayashi, S., 651
Kim, I.
Propylene Polymerization with *rac*-(EBI)$Zr(NC_4H_8)_2$ Cocatalyzed by MAO or AlR_3 and Anionic Compounds, 875
Kim, J. I. See Choi, S.-S., 1995
Kim, J.-W. See Song, J.-Y., 1607
Kim, J. Y.
—; Kim, Y. D.; Kanamori, T.; Lee, H. K.; Baik, K.-J.; Kim, S. C.: Vitrification Phenomena in Polysulfone/NMP/Water System, 431
Kim, S. See Lu, M., 2401
Kim, S. C. See Kim, J. Y., 431
Kim, S. Y. See Lim, J. Y., 1283
Kim, Y.
—; Cho, W.-J.; Ha, C.-S.: Dynamic Mechanical and Morphological Studies on the Compatibility of Plasticized PVC/Thermoplastic Polyurethane Blends, 415
Kim, Y. D. See Kim, J. Y., 431
Kim, Y.-H. See Ahn, K.-D., 2033
Kim, Y. H. See Kwon, O. H., 631
Kishida, A. See Kato, S., 1049
Kiso, Y.
—; Kitao, T.; Nishimura, K.: Adsorption Properties of Cyclic

Compounds on Cellulose Acetate, 1657
Kitao, T. See Kiso, Y., 1657
Kizilyar, N.
—; Toppare, L.; Önen, A.; Yağci, Y.: Synthesis of Conducting PPy/pTHF Copolymers, 713
Klarić, I.
—; Roje, U.; Stipanelov, N.: Kinetic Investigation of Thermooxidative Degradation of Poly(vinyl chloride)/Acrylonitrile–Butadiene–Styrene Blends by Isothermal Thermogravimetric Analysis, 833
Knoetze, J. H. See De Wet-Roos, D., 1347
Kohjiya, S. See Yamada, N., 855
Koike, T.
—; Ishizaki, N.: Free Volume and Dipole Mobility in an Epoxide Oligomer Before Crosslinking, 207
Koizumi, T.
—; Usui, S.: The Dependence of Shear and Elongational Viscosity on the Molecular Weight of Poly(vinylidene fluoride), 2381
Kojima, Y.
—; Matsuoka, T.; Takahashi, H.: Annealing of Polyacene-Based Oligomer Synthesized Under High Pressure, 289
Köker, B. See Uyanik, N., 1915
Kolbert, A. C.
—; Didier, J. G.: Determination of Monomer Sequence Distribution in EPDM by ^{13}C-NMR: Third Monomer Effects, 523
Kondo, T.
—; Kubota, H.; Katakai, R.: Effect of Ultrasonic Irradiation on Ceric-Salt-Initiated Grafting of Methyl Methacrylate onto Regenerated Cellulose Film, 251
Kong, X. Z.
—; Ruckenstein, E.: Monodisperse Core/Shell Latex Particles Containing Carboxylic Acid and Their Optimum Acid Content for Pore Generation, 1455
Kontou, E. See Spathis, G., 2007
Ko, T.-H.
—; Chen, C.-Y.: Raman Spectroscopic Study of the Microstructure of Carbon Films Developed from Cobalt Chloride-Modified Polyacrylonitrile, 2219
Koo, K. See Son, T. W., 1029
Kotliar, A. M. See Zhang, Y., 11
Krivoguz, Y. M. See Jurkowski, B., 1771
Król, B. See Czaja, K., 353
Kuboki, T. See Jar, P.-Y. B., 1543
Kubota, H. See Kondo, T., 251
Kudoh, S. See Se, K., 2039
Kumar, S. See Zhang, Y., 11
Kumar, V. P. See Bag, D. S., 1041
Kundu, P. P.
—; Choudhury, R. N. P.; Tripathy, D. K.: Influence of Blend Composition on the Physical, Flame Retardancy, Dielectric, Ageing, and Solvent Resistance Properties of Poly[et]hylene(vinyl acetate) and Polychloroprene, 551
Kuo, P.-L.
—; Chan, V. K.: Function Performance of Silicone Copolymers (II): Synthesis Interfacial Behavior of Siliconized Acrylic Copolymers, 805
Kwak, Y. T. See Wu, C.-S., 67
Kwon, O. H.
—; Nho, Y. C.; Park, K. D.; Kim, Y. H.: Graft Copolymerization of Polyethylene Glycol Methacrylate onto Polyethylene Film and Its Blood Compatibility, 631

Ladaviere, C.
—; Delair, T.; Domard, A.; Pichot, C.; Mandrand, B.: Covalent Immobilization of Biological Molecules to Maleic Anhydride and Methyl Vinyl Ether Copolymers—A Physico-Chemical Approach, 927
Lai, H.-M.
—; Geil, P. H.; Padua, G. W.: X-ray Diffraction Characterization of the Structure of Zein–Oleic Acid Films, 1267
La Mantia, F. P.
—; Scaffaro, R.; Magagnini, P. L.; Paci, M.; Minkova, L. I.; Miteva, Ts.: Effect of the Components' Molar Mass and of the Mixing Conditions on the Compatibilization of PE–LCP Blends by PE-*g*-LCP Copolymers, 603
Lazár, M. See Pavlinec, J., 493
Lee, C.-F. See Hsu, S.-C., 47
Lee, C.-J. See Wang, J.-Y., 2303
Lee, D.-H.
—; Lee, H.-B.; Noh, S. K.; Song, B. K.; Hong, S. M.: Ethylene Polymerization Initiated by Anchored $CpIndZrCl_2$ on Silica with Hexamethyltrisiloxane and Pentamethylene Spacers, 1071
—; See Kang, K. K., 293
Lee, D. W. See Son, T. W., 1029
Lee, H.-B. See Lee, D.-H., 1071
Lee, H. K. See Kim, J. Y., 431
Lee, K.-H. See Jegal, J., 671
Lee, S.-S.
—; Ahn, T. O.: Direct Polymer Reaction of Poly(styrene-*co*-maleic anhydride): Polymeric Imidization, 1187
Lee, W.-F.
—; Shieh, C.-H.: pH-Thermoreversible Hydrogels. I. Synthesis and Swelling Behaviors of the (*N*-isopropylacrylamide-*co*-acrylamide-*co*-2-hydroxyethyl methacrylate) Copolymeric Hydrogels, 221
Lefebvre, J. See Antonov, Y. A., 471
León, L. M. See Ampudia, J., 1239
Leonov, A. I. See He, L., 1315
Le Roux, J. D.
—; Van Schalkwyk, O. G.: Incorporation of Fluorinated Surfactants into Polysulfone Films and Asymmetric Gas Separation Membranes, 163
Levchik, G. F. See Murashko, E. A., 1863
Levchik, S. V. See Murashko, E. A., 1863
Li, F.
—; Zhu, W.; Zhang, X.; Zhao, C.; Xu, M.: Shape Memory Effect of Ethylene–Vinyl Acetate Copolymers, 1063
Li, J.
—; Han, X.; Qi, Z.; Wang, F.: Thermally Stable Interpenetrating Polymer

Networks for Second-Order Nonlinear Optical Materials, 7
Li, K. See Wang, D., 1789
Li, S.
—; Järvelä, P. K.; Järvelä, P. A.: Melt Rheological Properties of Polypropylene–Maleated Polypropylene Blends. I. Steady Flow by Capillary, 1641
—; Järvelä, P. K.; Järvelä, P. A.: Melt Rheological Properties of Polypropylene–Maleated Polypropylene Blends. II. Dynamic Viscoelastic Properties, 1649
Li, W.
—; Wan, M.: Stability of Polyaniline Synthesized by a Doping-Dedoping-Redoping Method, 615
Li, X.-G.
—; High-Resolution Thermogravimetry of Cellulose Esters, 573
Li, X.-G.:
—; High-Resolution Thermogravimetry of Poly(2,6-dimethyl-1,4-phenylene oxide), 1887
Li, X.-G.
—; High-Resolution Thermogravimetry of Poly(4-methyl-1-pentene), 2201
—; Huang, M.-R.: Thermal Degradation Kinetics of Thermotropic Poly(p-oxybenzoate-co-p,p'biphenylene Terephthalate) Fiber, 1923
—; Huang, M.-R.: Thermal Degradation of Kevlar Fiber by High-Resolution Thermogravimetry, 565
Li, X. H. See Deng, X. M., 1941
Li, Y.-M. See Chen, C.-H., 1977
Li, Z. See Qiu, W., 847
Lia, K. C. See Cheng, K.-C., 721
Liang, J. Z.
—; Li, R. K. Y.; Tjong, S. C.: Crystallization Behavior of Glass Bead-Filled Low-Density Polyethylene Composites, 687
Liang, Z. See Zhang, L., 1081
Lim, J. Y.
—; Kim, S. Y.: Properties of High-Speed Spun High Molecular Weight Poly(ethylene terephthalate) Filaments, 1283
Lim, L.-T.
—; Britt, I. J.; Tung, M. A.: Sorption and Transport of Water Vapor in Nylon 6,6 Film, 197
Lim, S. K. See Son, T. W., 1029
Lin, D. See Zeronian, S. H., 1163
Lin, J.-J. See Tseng, F.-P., 2129
Lin, S.-F. See Tseng, F.-P., 2129
Liou, G.-S. See Yang, C.-P., 1691
Li, R. K. Y. See Liang, J. Z., 687
Líšková, A. See Pavlinec, J., 493
Liu, J. See De Yao, K., 449
Liu, J. J. See Chen, G., 2017
Liu, L.
—; Qi, Z.; Zhu, X.: Studies on Nylon 6/Clay Nanocomposites by Melt-Intercalation Process, 1133
Liu, S.
—; Meng, F.; Yu, G.; Huang, B.: Preparation of Polymer-Supported Zirconocene Catalysts and Olefin Polymerization, 2253
Liu, W. G. See De Yao, K., 449
Liu, Z. See Xu, J., 897
Lozano-González, M. J. See Gonzalez-De Los Santos, E. A., 259, 267
Lu, L. See Wang, X., 665
Lu, M.
—; Kim, S.: Kinetics and Thermal Characterization of Epoxy–Amine Systems, 2401
Lu, X. See Pizzi, A., 915
—; See Su, Z., 819
Lu, Z. See Guo, Y., 693
Lynch, J. B.
—; Spence, P. D.; Baker, D. E.; Postlethwaite, T. A.: Atmospheric Pressure Plasma Treatment of Polyethylene via a Pulse Dielectric Barrier Discharge: Comparison Using Various Gas Compositions Versus Corona Discharge in Air, 319
Lyons, B. J. See Failla, M. D., 1375

Ma, W. See Wang, X., 665
Machado, A. V.
—; Covas, J. A.; Van Duin, M.: Evolution of Morphology and of Chemical Conversion Along the Screw in a Corotating Twin-Screw Extruder, 135
Magagnini, P. L. See La Mantia, F. P., 603
Mai, K. See Qiu, W., 847, 1537
Maiti, M. M. See Goswami, T. H., 1721
Maiti, S. See Bag, D. S., 1041
Malhotra, V. P. See Singh, D., 1959
Mandrand, B. See Ladaviere, C., 927
Manna, A. K.
—; Bhattacharyya, A. K.; De, P. P.; Tripathy, D. K.; De, S. K.; Peiffer, D. G.: Effect of Surface Oxidation of Filler and Silane Coupling Agent on the Chemorheological Behavior of Epoxidized Natural Rubber Filled with ISAF Carbon Black, 557
Manrich, S. See Hage, E., 423
Mark, J. E. See Apostolov, A. A., 465
Martin, D. J.
—; Meijs, G. F.; Gunatillake, P. A.; Yozghatlian, S. P.; Renwick, G. M.: The Influence of Composition Ratio on the Morphology of Biomedical Polyurethanes, 937
Martinez, R. See Sthel, M., 1749
Masuko, F. See Nakanishi, S., 975
Mathur, G. N. See Saroop, M., 151
Matsui, T.
—; Miwa, Y.: Detection of a New Crosslinking and Properties of Liquid Polysulfide Polymer, 59
Matsumoto, T. See Kato, S., 1049
Matsuoka, T. See Kojima, Y., 289
Matsuura, T. See Yamasaki, A., 1367
Mayer, M. J. J. See Kemmere, M. F., 2419
McCormick, C. L. See Williamson, S. L., 989
Mecit, O. See Atici, O. G., 1385
Meijs, G. F. See Martin, D. J., 937
Meng, F. See Liu, S., 2253
Meuldijk, J. See Kemmere, M. F., 2419
Mi, F.-L.
—; Wong, T.-B.; Shyu, S.-S.; Chang, S.-F.: Chitosan Microspheres: Modification of Polymeric Chem-Physical Properties of Spray-Dried

Microspheres to Control the Release of Antibiotic Drug, 747
Miguel, O.
—; Barbari, T. A.; Iruin, J. J.: Carbon Dioxide Sorption and Diffusion in Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-co-3-hydroxyvalerate), 2391
Mikhailov, Yu. M.
—; Ganina, L. V.; Smirnov, V. S.; Estrin, Ya. J.; Rozenberg, B. A.: Phase Equilibrium in the Diglycidyl Ether of Bisphenol A–Hydroxyl-Terminated Oligobutadiene Derivatives Systems, 953
Milburn, G. H. W. See Zadrożna, I., 1017
Millan, E. J.
—; Webster, I.: Formulation/Property Relationships in Radiation-Cured Polyurethane Methcrylate Pressure-Sensitive Adhesives. 1. Incorporation of Hydrophilic Polyols, 2313
Mingyi, L.
—; Hua, Z.; Jianfeng, L.: Study on the Compatibility of BR/CR/SBS Blends by Using Small Amounts of SBS, 215
Minkova, L. I. See La Mantia, F. P., 603
Mishima, S.
—; Kaneoka, H.; Nakagawa, T.: Characterization and Pervaporation of Chlorinated Hydrocarbon–Water Mixtures with Fluoroalkyl Methacrylate-Grafted PDMS Membrane, 273
Miteva, Ts. See La Mantia, F. P., 603
Mitra, B. C. See Rana, A. K., 531
—; See Saha, A. K., 1505
Miwa, Y. See Matsui, T., 59
Miyata, T. See Inui, K., 233
Miyazaki, T. See Kato, S., 1049
Mizumachi, H. See Hayashi, S., 651
Moawad, H. M. See Ramadan, T. A., 401, 409
Molinie, P. See Bernede, J. C., 115
Mondal, M. I. H.
—; Kai, A.: Influence of Substitution of Direct Dye Having Biphenylenebis(azo) Skeletal Structure on Nascent Cellulose Produced by *Acetobacter xylinum* , 1007
Mondragon, I. See Valea, A., 21
Montheard, J. P. See Zerroukhi, A., 1447
Morita, Y.
—; Sugahara, Y.; Ibonai, M.; Takahashi, A.: Synthesis of Deoxy(thiosulfato)chitin as the Precursor for Noncatalytic Photoinduced Graft Copolymerization, 189
Morris, S. A. See Domingo, B. J., 2147
Morsli, M. See Bernede, J. C., 115
Mucha, M. See Nastał, E., 455
Mukai, H. See Ogawa, T., 243
Murashko, E. A.
—; Levchik, G. F.; Levchik, S. V.; Bright, D. A.; Dashevsky, S.: Fire-Retardant Action of Resorcinol Bis(diphenyl Phosphate) in PC–ABS Blend. II. Reactions in the Condensed Phase, 1863
Murata, Y. See Kato, S., 1049
Muszyński, J.
—; Wolińska-Grabczyk, A.; Penczek, P.: Synthesis, Characterization, and Pervaporation Properties of Segmented Poly(urethane-urea)s, 1615

Nagatani, A. See Yamada, N., 855
Nair, C. P. R. See Nair, P. R., 1731
Nair, P. R.
—; Nair, C. P. R.; Francis, D. J.: Effect of Imide–Oxazolidinone Modification on the Thermal and Mechanical Properties of HTPB-Polyurethanes, 1731
Nakagawa, T. See Hoshi, M., 439
—; See Mishima, S., 273
Nakane, K.
—; Ohashi, J.; Suzuki, F.: Preparation and Properties of a Composite of Poly(vinyl butyral) and Titania, 185
Nakanishi, S.
—; Masuko, F.; Hashimoto, T.: Durable Flame-Retardant Finished Cotton Fabrics Characterized by Thermal Degradation Behaviors, 975
Namhata, S.
—; Guest, M. J.; Aerts, L. M.: Blend Morphology Development During Melt Flow: Correlation of a Model Concept Based on Dynamic Phase Volume with Practical Observations, 311
Nastał, E.
—; Żurańska, E.; Mucha, M.: Effect of Curing Progress on the Electrooptical and Switching Properties of PDLC System, 455
Ng, S. See Wei, M., 303
Nguyen, T. See Chin, J. W., 483
Nho, Y. C. See Choi, S.-H., 643, 999, 2227
—; See Kwon, O. H., 631
Nishi, S. See Takeshita, Y., 1835
Nishimura, K. See Kiso, Y., 1657
Noguchi, T. See Inui, K., 233
Noh, S. K. See Lee, D.-H., 1071
Norek, S. See Ebeling, T., 1461
Nowaczyk, J. See Wódzki, R., 2179

O'Connor, S. See Tang, H., 387
Ogawa, T.
—; Mukai, H.; Osawa, S.: Effects of Functional Groups and Surface Roughness on Interfacial Shear Strength in Ultrahigh Molecular Weight Polyethylene Fiber/Polyethylene System, 243
Oh, D. K. See Choi, S.-S., 1995
Ohashi, J. See Nakane, K., 185
Okay, O. See Erbay, E., 1055
Olkhov, Y. A. See Jurkowska, B., 729, 1771
Olkhova, O. M. See Jurkowska, B., 729
Önen, A. See Kizilyar, N., 713
Ono, H. See Hayashi, S., 651
Oraby, A. H. See Fouda, I. M., 361
Osawa, S. See Ogawa, T., 243
Özden, M.
—; Ekinci, E.; Karagözler, E.: Electrochemical Preparation of Poly(*o*-toluidine) Film and Its Application as a Permselective Membrane, 2141

Paci, M. See La Mantia, F. P., 603
Padua, G. W. See Lai, H.-M., 1267
Paleos, C. M. See Haralabakopoulos, A. A., 2121

Pan, N. See Zeronian, S. H., 1163
Panayiotou, C. See Bikiaris, D., 1089
Pande, C. S.
—; Gupta, N.: Gamma-Radiation-Induced Graft Copolymerization of Acrylamide onto Crosslinked Poly(*N*-vinylpyrrolidone), 2163
Pandey, K. K.
A Study of Chemical Structure of Soft and Hardwood and Wood Polymers by FTIR Spectroscopy, 1969
Park, J. H. See Son, T. W., 1029
Park, K. D. See Kwon, O. H., 631
Park, K. H. See Son, T. W., 1029
Park, N.-H.
—; Suh, K.-D.: Organic–Inorganic Microhybrid Materials via a Novel Emulsion Mixing Method, 1597
Parzuchowski, P. See Zadrożna, I., 1017
Patil, R. D. See Apostolov, A. A., 465
Pavlinec, J.
—; Líšková, A.; Lazár, M.: Influence of Shear Stress Treatment on Stress-Strain Properties of Methyl Methacrylate-Crosslinked Butyl Acrylate Core-Shell Polymers, 493
Peiffer, D. G. See Manna, A. K., 557
Penczek, P. See Muszyński, J., 1615
Peng, C. See Tan, S., 2069
Peng, X.
—; Shen, J.: Water-Soluble Copolymers. I. Biodegradability and Functionality of Poly[s]odium acrylate)-*co*-(4-vinylpyridine), 1953
Pesetskii, S. S. See Jurkowski, B., 1771
Pessan, L. A. See Hage, E., 423
Petermann, J. See Ebener, H., 813
Pezelj, E. See Čunko, R., 2237
Pfaffernoschke, M. See Bismarck, A., 1175, 1893
Pichot, C. See Ladaviere, C., 927
Pikus, S. See Wdowicka, D., 83
Pillai, V. N. R. See Varkey, J. T., 1933
Pinho, M. S.
—; Dezotti, M.; Gorelova, M. M.; Soares, B. G.: Electroconducting Composites Based on Polyaniline and Monomer-Swollen Polychloroprene, 2329
Pintauro, P. N. See Tang, H., 387
Pişkin, E. See Denizli, A., 1397
Pissis, P. See Kanapitsas, A., 1209
Pizzi, A.
—; Extension of Simple Polycondensation Gelation Theories to Simple Radical and Mixed Polycondensation/Radical Gelation (Note), 517
—; On the Correlation Equations of Liquid and Solid ^{13}C NMR, Thermomechanical Analysis, T_g, and Network Strength in Polycondensation Resins, 1703
—; Lu, X.; Garcia, R.: Lignocellulosic Substrates Influence on TTT and CHT Curing Diagrams of Polycondensation Resins, 915
Pleuger, B. See Ebener, H., 813
Podkościelny, W. See Wdowicka, D., 83
Postlethwaite, T. A. See Lynch, J. B., 319
Pradas, M. M. See Kanapitsas, A., 1209
Presnell, S. See Zhang, Y., 11
Privalko, E. G. See Kanapitsas, A., 1209
Privalko, V. P. See Kanapitsas, A., 1209

Qi, Z. See Li, J., 7
—; See Liu, L., 1133
Qin, J.
—; Argon, A. S.; Cohen, R. E.: Toughening of Glassy Polymers by Prepackaged Deformation-Activated Diluents, 1469
—; Argon, A. S.; Cohen, R. E.: Toughening of Glassy Polystyrene Through Ternary Blending That Combines Low Molecular Weight Polybutadiene Diluents and ABS or HIPS-Type Composite Particles, 2319
Qiu, W.
—; Mai, K.; Fang, K.; Li, Z.; Zeng, H.: Morphology and Thermal Behavior of PA1010/LLDPE Blends using PE-*g*-AA as a Compatibilizer (note), 847
—; Mai, K.; Zeng, H.: Effect of Macromolecular Coupling Agent on the Property of PP/GF Composites, 1537
Qi, Z. See Li, J., 7
Qi, Z. See Liu, L., 1133
Quirk, R. P. See He, L., 1315

Radhakrishnan, S.
—; Unde, S.: Current-Voltage Characteristics of Conducting Polypyrrole in Solid Polyethylene Oxide Electrolytes, 2059
Raghavan, J.
—; Wool, R. P.: Interfaces in Repair, Recycling, Joining and Manufacturing of Polymers and Polymer Composites, 775
Ramadan, T. A.
—; El-Atawy, S.; Moawad, H. M.: Electrical Properties of Some Transition Metallopolymer Complexes. I., 401
—; Moawad, H. M.: Magnetic Properties of Some New Polymeric Chelating Complexes. I., 409
Ramamoorthy, U.
—; Subramanian, V.; Ramasami, T.: Viscoelastic Behavior of Formaldehyde and Basic Chromium Sulfate-Crosslinked Collagen, 2245
Ramasami, T. See Ramamoorthy, U., 2245
Rana, A. K.
—; Mitra, B. C.; Banerjee, A. N.: Short Jute Fiber-Reinforced Polypropylene Composites: Dynamic Mechanical Study, 531
Rempel, G. L. See Thompson, M. R., 503
Renwick, G. M. See Martin, D. J., 937
Ribelles, J. L. G. See Kanapitsas, A., 1209
Rieumont, J. See Sthel, M., 1749
Rodríguez, M. See Ampudia, J., 1239
Roje, U. See Klarić, I., 833

Rozenberg, B. A. See Mikhailov, Yu. M., 953
Ruckenstein, E. See Kong, X. Z., 1455
Ruseckaite, R. A. See Gonzalez, M. F., 1223

Saha, A. K.
—; Das, S.; Bhatta, D.; Mitra, B. C.: Study of Jute Fiber Reinforced Polyester Composites by Dynamic Mechanical Analysis, 1505
Saha, N.
—; Basu, D.; Banerjee, A. N.: Heat-Distortion Temperature of Unidirectional Polyethylene–Glass Fiber–PMMA Hybrid Composite Laminates, 541
Saija, L. M.
—; Uminski, M.: Water-Redispersible Low-T_g Acrylic Powders for the Modification of Hydraulic Binder Compositions, 1781
Saitoh, T. See Hoshi, M., 439
Salansky, J.
—; Thin-Film Plasma-Polymerized Iso-t-pentinol and its Postpolymerization Properties, 677
Salgado, E. C. See Cárdenas, G. T., 547
Salih, B. See Denizli, A., 1397
—; See Tuncel, A., 2271
Sanderson, R. D. See De Wet-Roos, D., 1347
Saraf, D. N. See Garg, S., 2101
Saroop, M.
—; Mathur, G. N.: Studies on Dynamically Vulcanized Polypropylene (PP)/Butadiene Styrene Block Copolymer (SBS) Blends: Crystallization and Thermal Behavior, 151
Sarwade, B. D. See Thakore, I. M., 1851
Sasaki, H. See Yamada, N., 855
Sau, K. P.
—; Chaki, T. K.; Khastgir, D.: Electrical and Mechanical Properties of Conducting Carbon Black Filled Composites Based on Rubber and Rubber Blends, 887
Scaffaro, R. See La Mantia, F. P., 603
Schmitt, B. R.
—; Kim, H.; Urban, M. W.: Microwave Plasma Reactions of Imidazole on Poly(vinyl chloride) Surfaces: A Spectroscopic Study, 1
Schneider, N. S. See Wang, P., 1525
Scholler, D. See El Mansouri, H., 371
Se, K.
—; Kudoh, S.: Anionic Polymerization of Secondary Aminostyrene and Characterization of the Polymer, 2039
Seguela, R.
—; Staeniek, E.; Escaig, B.; Fillon, B.: Plastic Deformation of Polypropylene in Relation to Crystalline Structure, 1873
Seisa, E. A. See Fouda, I. M., 361
Şenel, S. See Denizli, A., 1397
Shen, J. See Peng, X., 1953
Shen, K. See Zhang, G., 799
Shieh, C.-H. See Lee, W.-F., 221
Shi, K.-Y. See Zhang, B.-L., 177
Shi, L. See Wang, B., 761
Shi, W.
—; Xu, X.; Sun, G.: Chemically Modified Sunflower Stalks as Adsorbents for Color Removal from Textile Wastewater, 1841
Shi, Y. See Cao, S., 377
Shim, S.-E.
—; Cha, Y.-J.; Byun, J.-M.; Choe, S.: Size Control of Polystyrene Beads by Multistage Seeded Emulsion Polymerization, 2259
Shinmura, T. See Jar, P.-Y. B., 1543
Shiono, T. See Kang, K. K., 293
Shiqiang, H.
—; Zushun, X.; Hui, P.; Shiyuan, C.: Properties of PHMS-g-P [butylacrylate (BA)-*N*-hydroxyl-methyl acrylamide (NMA)] Graft Copolymer Emulsions, 2209
Shiyuan, C. See Shiqiang, H., 2209
Shoji, S. See Yamada, N., 855
Shyu, S.-S. See Mi, F.-L., 747
Silvestre, C.
—; Cimmino, S.; Di Lorenzo, M. L.: Crystallization of Poly(1-butene)/Hydrogenated Oligocyclopentadiene Blends, 1677
Simonsick, W. J. See Denes, F., 1627
Singh, D.
—; Malhotra, V. P.; Vats, J. L.: The Dynamic Mechanical Analysis, Impact, and Morphological Studies of EPDM–PVC and MMA-*g*-EPDM–PVC Blends, 1959
Sivakumar, R. See Sreenivasan, K., 1823
Skrifvars, M. See Berglund, L., 1555
Smirnov, V. S. See Mikhailov, Yu. M., 953
Soares, B. G. See Pinho, M. S., 2329
Soares, J. B. P. See Beigzadeh, D., 1753
Şolpan, D.
—; Güven, O.: Improvement of Mechanical Stability of Beechwood by Radiation-Induced *In-Situ* Copolymerization of Allyl Glycidyl Ether With Acrylonitrile and Methyl Methacrylate, 1515
Son, T. W.
—; Park, J. H.; Lee, D. W.; Park, K. H.; Koo, K.; Lim, S. K.: Preparation and Properties of Polar Polypropylene Blends Containing Phenolic Resin, 1029
Song, B. See Bismarck, A., 1893
Song, B. K. See Lee, D.-H., 1071
Song, J.-Y.
—; Kim, J.-W.; Suh, K.-D.: Poly(methyl methacrylate) Toughening with Refractive Index-Controlled Core–Shell Composite Particles, 1607
Soni, B. See Zeronian, S. H., 1163
Spathis, G.
—; Kontou, E.: An Experimental and Analytical Study of the Large Strain Response of Glassy Polymers with a Noncontact Laser Extensometer, 2007
Spence, P. D. See Lynch, J. B., 319
Springer, J. See Bismarck, A., 1175, 1893

Sreenivasan, K.
On the Application of Molecularly Imprinted Poly(HEMA) as a Template Responsive Release System, 1819
Sreenivasan, K.
—; Sivakumar, R.: Imparting Recognition Sites in Poly(HEMA) for Two Compounds Through Molecular Imprinting, 1823
Srinivasa Rao, G. S.
—; Upadhyay, V. K.; Jain, R. C.: Polymerization of 1,3-Butadiene Using Neodymium Chloride Tripentanolate–Triethyl Aluminum Catalyst Systems, 595
Staeniek, E. See Seguela, R., 1873
Stafford, C. M. See Williamson, S. L., 989
Sthel, M.
—; Rieumont, J.; Martinez, R.: Study on the Spatial Resolution of a Furfuryl Alcohol Negative Photoresist Using a Holographic System, 1749
Stipanelov, N. See Klarić, I., 833
Su, W.
—; Iroh, J. O.: Electrodeposition of Poly(*N*-methylpyrrole) Coatings on Steel from Aqueous Medium, 1293
—; See Iroh, J. O., 2075
Su, Z.
—; Lu, X.; Chang, X.: Study of Polymer-Metal Ions Triple Complex as Materials for Adsorption and Separation, 819
Subramanian, V. See Ramamoorthy, U., 2245
Sugahara, Y. See Morita, Y., 189
Suh, K.-D. See Park, N.-H., 1597
—; See Song, J.-Y., 1607
Sumana, G. See Agarwal, S., 1039
Sun, G. See Shi, W., 1841
Sun, G. See Zeronian, S. H., 1163
Sung, N.-H. See Wang, P., 1525
Sun, J. See Huang, J., 1101
Suzuki, F. See Nakane, K., 185

Takahashi, A. See Morita, Y., 189
Takahashi, H. See Kojima, Y., 289
Takahashi, K. See Jar, P.-Y. B., 1543
Takeshita, Y.
—; Ichino, T.; Nishi, S.: Dual-Phase Polymer Electrolyte with Enhanced Mechanical Strength, 1835
Takeuchi, Y. See Hayashi, S., 1491
Tan, S.
—; Wang, Y.; Peng, C.; Tang, Y.: Synthesis and Adsorption Properties for Metal Ions of Crosslinked Chitosan Acetate Crown Ethers, 2069
Tangboriboonrat, P.
—; Tiyapiboonchaiya, C.: Novel Methods for Toughening of Polystyrene Based on Natural Rubber Latex, 1333
Tang, G.-L. See Zhang, B.-L., 177
Tang, H.
—; Pintauro, P. N.; Guo, Q.; O'Connor, S.: Polyphosphazene Membranes. III. Solid-State Characterization and Properties of Sulfonated Polys(3-methylphenoxy)-phosphazene, 387
Tang, T. See Zhao, H., 967
Tang, X.-Z. See Wang, L., 1711
Tang, Y. See Tan, S., 2069
Taoudi, H. See Bernede, J. C., 115
Tare, V. See Chaudhari, S., 1325
Tasaka, S. See Inagaki, N., 2091, 2191
Taunk, K. See Behari, K., 739
Taylor, J. E. See Arnold, J. C., 2155
Teo, W. K. See Wang, D., 1789
Thakore, I. M.
—; Desai, S.; Sarwade, B. D.; Devi, S.: Evaluation of Compatibility of Poly(vinyl chloride)/Starch Acetate Blends Using Simple Techniques, 1851
Thomas, S.
—; Groeninckx, G.: Nylon 6/Ethylene Propylene Rubber (EPM) Blends: Phase Morphology Development During Processing and Comparison with Literature Data, 1405
—; See Johnson, T., 2365
—; See Varghese, H., 2335
Thompson, M. R.
—; Tzoganakis, C.; Rempel, G. L.: Alder Ene Functionalization of Polypropylene through Reactive Extrusion, 503
Tinnemans, A. H. A. See Bruggeman, A., 1107, 1125
Tiyapiboonchaiya, C. See Tangboriboonrat, P., 1333
Tjong, S. C. See Liang, J. Z., 687
Toppare, L. See Kizilyar, N., 713
Tripathi, M. See Behari, K., 739
Tripathy, D. K. See Kundu, P. P., 551
—; See Manna, A. K., 557
Truss, R. W. See Beck, R. A., 959
Tsaih, M. L.
—; Chen, R. H.: Molecular Weight Determination of 83% Degree of Decetylation Chitosan with Non-Gaussian and Wide Range Distribution by High-Performance Size Exclusion Chromatography and Capillary Viscometry, 1905
Tseng, F.-P.
—; Chang, F.-C.; Lin, S.-F.; Lin, J.-J.: Preparation and Epoxy Curing of Novel Dicyclopentadiene-Derived Mannich Amines, 2129
Tseng, H.-C. See Chu, L.-H., 39
Tsiourvas, D. See Haralabakopoulos, A. A., 2121
Tsubokawa, N. See Hayashi, S., 1491
Tsukada, M. See Freddi, G., 1563
Tuncel, A.
—; Electron Microscopic Observation of Uniform Macroporous Particles. II. Effect of DVB Concentration, 2291
—; Tuncel, M.; Salih, B.: Electron Microscopic Observation of Uniform Macroporous Particles I. Effect of Seed Latex Type and Diluent, 2271
Tuncel, M. See Tuncel, A., 2271
Tung, M. A. See Lim, L.-T., 197
Tyagi, R. K. See Yamasaki, A., 1367
Tzoganakis, C. See Thompson, M. R., 503

Ueno, Y. See Kato, S., 1049
Umehara, T. See Inagaki, N., 2191
Uminski, M. See Saija, L. M., 1781

Unde, S. See Radhakrishnan, S., 2059
Upadhyay, V. K. See Srinivasa Rao, G. S., 595
Uragami, T. See Inui, K., 233
Urban, M. W. See Schmitt, B. R., 1
Usui, S. See Koizumi, T., 2381
Uyanik, N.
—; Köker, B.; Yildiz, Y.: Synthesis and Characterization of Poly(dimethyl siloxane) Containing Poly(vinyl pyrrolidinone) Block Copolymers, 1915

Valea, A.
—; Gonzalez, M. L.; Mondragon, I.: Vinyl Ester and Unsaturated Polyester Resins in Contact with Different Chemicals: Dynamic Mechanical Behavior, 21
Vallés, E. M. See Failla, M. D., 1375
Van Duin, M. See Machado, A. V., 135
VanLandingham, M. R.
—; Eduljee, R. F.; Gillespie, J. W., Jr.: Relationships between Stoichiometry, Microstructure, and Properties for Amine-Cured Epoxies, 699
—; Eduljee, R. F.; Gillespie, J. W., Jr.: Moisture Diffusion in Epoxy Systems, 787
Van Schalkwyk, O. G. See Le Roux, J. D., 163
Varghese, H.
—; Bhagawan, S. S.; Thomas, S.: Effects of Blend Ratio, Crosslinking Systems and Fillers on the Morphology, Curing Behavior, Mechanical Properties, and Failure Mode of Acrylonitrile Butadiene Rubber and Poly(ethylene-*co*-vinyl acetate) Blends, 2335
Varkey, J. T.
—; Pillai, V. N. R.: Merrifield Resin and 1,6-Hexanediol Diacrylate-Crosslinked Polystyrene Resin for Solid-Phase Peptide Synthesis: A Comparative Study, 1933
Vassileva, E. See Apostolov, A. A., 465
Vats, J. L. See Singh, D., 1959
Vrentas, C. M. See Vrentas, J. S., 1431
Vrentas, J. S.
—; Vrentas, C. M.: Differential Sorption in Glassy Polymers, 1431

Wan, M. See Li, W., 615
Wang, B.
—; Dar, Y.; Shi, L.; Caneba, G. T.: Polymerization Control Through the Free-Radical Retrograde-Precipitation Polymerization Process, 761
Wang, D.
—; Li, K.; Teo, W. K.: Phase Separation in Polyetherimide/Solvent/Nonsolvent Systems and Membrane Formation, 1789
Wang, F. See Li, J., 7
Wang, J.-Y.
—; Lee, C.-J.: Clarification of Viscous Poly Tetramethylene Ether Glycol (PTMEG) Containing Solid Suspension by Dead-End Flow Microfiltration under Constant Pressure, 2303
Wang, L.
—; Feng, L. X.; Yang, S. L.: Studies on the Preparation of New Magnetic Polyolefins Using Nanometer Magnetic Ziegler–Natta Catalyst, 2087
—; Yang, B.; Wang, X.-L.; Tang, X.-Z.: A Novel Polymer Electrolyte Based on Polydioxolane Polyurethane with Na^+ Single-Ionic Conductivity, 1711
Wang, P.
—; Schneider, N. S.; Sung, N.-H.: Sorption and Diffusion of Organic Vapors in Two Fluoroelastomers, 1525
Wang, Q. See Huang, J., 1101
Wang, X.
—; Chen, D.; Ma, W.; Yang, X.; Lu, L.: Polymerization of Bismaleimide and Maleimide Catalyzed by Nanocrystalline Titania, 665
Wang, X.-L. See Wang, L., 1711
Wang, Y.
—; Easteal, A. J.: Interaction Between Iodine and Ethyl Cellulose, 1303
—; See Tan, S., 2069
Wang, Z. See Zhao, H., 967
Watanabe, H.
—; Yamamoto, M.: Chemical Structure Change of a KrF-Laser Irradiated PET Fiber Surface, 2027
Wdowicka, D.
—; Podkościelny, W.; Pikus, S.: Segmented and Nonsegmented Polyurethanes: Polyaddition Products of 4,4′-Bis(2-Hydroxyethoxy)Diphenyl Ether and 1,6-Hexanediisocyanate, 83
Webster, I. See Millan, E. J., 2313
Wei, M.
—; Chang, J.; De Yao, K.; Ng, S.; Heller, J.: Drug Release from Poly(ortho esters)–Poly(ethylene glycol) Polyblend, 303
Williams, L. D. See Zhang, Y., 11
Williamson, S. L.
—; Armentrout, R. S.; Stafford, C. M.; McCormick, C. L.: Electrolyte and pH Responsive Surfactant Association in Ionic Semi-Interpenetrating Networks Containing Cellulose or Chitin Synthesized in Lithium Chloride–*N,N*-Dimethylacetamide, 989
Wódzki, R.
—; Nowaczyk, J.: Membrane Transport of Organics. II. Permeation of Some Carboxylic Acids Through Strongly Basic Polymer Membrane, 2179
Wolińska-Grabczyk, A. See Muszyński, J., 1615
Wong, T.-B. See Mi, F.-L., 747
Wool, R. P. See Raghavan, J., 775
Wu, C.-S.
—; Kwak, Y. T.: Characterization of Microgels By Brookfield Viscometry With Cylindrical, T-Bar, and Flags Impeller Spindles, 67
Wu, H. See Gopala, A., 1809
Wu, J.
The Glassy State, Ideal Glass Transition, and Second-Order Phase Transition, 143
Wu, R. Y. See Jar, P.-Y. B., 1543

Xiangxu, C. See Hongjun, C., 103

Xiaolie, L. See Hongjun, C., 93, 103
Xiong, C. D. See Deng, X. M., 1941
Xu, J.
—; Feng, L.; Liu, Z.; Chen, L.; Deng, Y.; Cui, C.; Chen, W.: Nonisothermal Crystallization of s-PP Fractions, 897
—; See Gopala, A., 1809
Xu, M. See Li, F., 1063
Xu, Q.
—; Chen, L.-F.: Ultraviolet Spectra and Structure of Zinc–Cellulose Complexes in Zinc Chloride Solution, 1441
Xu, R. X. See Jian, X. G., 2385
Xu, X. See Shi, W., 1841

Yağci, Y. See Kizilyar, N., 713
Yagoubi, N. See El Mansouri, H., 371
Yamada, B. See Ikeda, T., 1499
Yamada, N.
—; Shoji, S.; Sasaki, H.; Nagatani, A.; Yamaguchi, K.; Kohjiya, S.; Hashim, A. S.: Developments of High Performance Vibration Absorber from Poly(vinyl chloride)/Chlorinated Polyethylene/Epoxidized Natural Rubber Blend, 855
Yamaguchi, K. See Yamada, N., 855
Yamamoto, M. See Watanabe, H., 2027
Yamasaki, A.
—; Tyagi, R. K.; Fouda, A. E.; Matsuura, T.; Jonasson, K.: Effect of Solvent Evaporation Conditions on Gas Separation Performance for Asymmetric Polysulfone Membranes, 1367
Yang, B. See Wang, L., 1711
Yang, C.-C. See Yang, C.-P., 1691
Yang, C.-P.
—; Hsiao, S.-H.; Hsiao, H.-C.: New Poly(amide-imide) Syntheses. 24. Synthesis and Properties of Fluorinated Poly(amide-imide)s Based on 2,2-Bis[4−(trimellitimidophenoxy)phenyl]hexafluoropropane and Various Aromatic Diamines, 823
—; Liou, G.-S.; Yang, C.-C.; Chen, K.-J.: Synthesis and Properties of New Poly(amide-imide)s Based on 2,5-Bis(trimellitimido)chlorobenzene, 1691
Yang, J. See Chen, G., 2017
Yang, S. L. See Wang, L., 2087
Yang, X. See Wang, X., 665
Yao, J. See Huang, J., 1101
Yen, C.-C.
Studies on the Preparation and Properties of Conductive Polymers. XI. Metallized Polymer Films by Plating Out, 1361
Yildiz, Y. See Uyanik, N., 1915
You, Y.-C. See Zhang, B.-L., 177
Yozghatlian, S. P. See Martin, D. J., 937
Yu, G. See Liu, S., 2253
Yu, Q. See Zhang, L., 1081
Yuan, M. L. See Deng, X. M., 1941
Yuan, X.
—; Zhang, Y.; Zhang, X.: Maleated Polypropylene as a Coupling Agent for Polypropylene–Waste Newspaper Flour Composites, 333

Zadrożna, I.
—; Parzuchowski, P.; Brzozowski, Z. K.; Milburn, G. H. W.: Novel Optical Material: Polyarylates with Heterocyclic Side Chain Groups, 1017
Zeng, H. See Qiu, W., 847, 1537
Zeng, L. See Jian, X. G., 2385
Zeronian, S. H.
—; Inglesby, M. K.; Pan, N.; Lin, D.; Sun, G.; Soni, B.; Alger, K. W.; Gibbon, J. D.: The Fine Structure of Bicomponent Polyester Fibers, 1163
Zerroukhi, A.
—; Cincu, C.; Montheard, J. P.: Substituted Styrenes–Maleic Anhydride Copolymers—Measurements of the Reactivity Ratios with High Conversions and Relations between Molecular Masses and Viscosity, 1447
Zhang, B.-L.
—; Tang, G.-L.; Shi, K.-Y.; You, Y.-C.; Du, Z.-J.; Huang, J.-F.: A Study on the Properties of Epoxy Resin Toughened by a Liquid Crystal-Type Oligomer, 177
Zhang, G.
—; Jiang, L.; Shen, K.; Guan, Q.: Self-Reinforcement of High-Density Polyethylene/Low-Density Polyethylene Prepared by Oscillating Packing Injection Molding under Low Pressure, 799
Zhang, H. X.
—; Hourston, D. J.: Reactive Compatibilization of Poly(butylene terephthalate)/Low-Density Polyethylene and Poly(butylene terephthalate)/Ethylene Propylene Diene Rubber Blends with a Bismaleimide, 2049
Zhang, L.
—; Cai, Z.; Yu, Q.; Liang, Z.: Photocrosslinked Polymer and Interpenetrating Polymer Network for Nonlinear Optics, 1081
—; See Huang, J., 1101
Zhang, X. See Li, F., 1063
—; See Yuan, X., 333
Zhang, Y.
—; Ghasemzadeh, S.; Kotliar, A. M.; Kumar, S.; Presnell, S.; Williams, L. D.: Fibers from Soybean Protein and Poly(vinyl alcohol), 11
—; See Yuan, X., 333
Zhao, C. See Li, F., 1063
Zhao, H.
—; Tang, T.; Wang, Z.; Huang, B.: Studies on Blends of LLDPE and Polar Polymers Compatibilized by a Random Copolymer, 967
Zhu, W. See Li, F., 1063
Zhu, X. See Liu, L., 1133
Zongneng, Q. See Chuan, K. Y., 1139
Zufu, Z. See Hayashi, S., 651
Żurańska, E. See Nastał, E., 455
Zushun, X. See Shiqiang, H., 2209

Journal of Applied Polymer Science

Subject Index—Volume 71

^{13}C NMR, 1703
^{13}C-NMR, 523
^{13}C-NMR INEPT method, 59

1H,1H,1H-hexadecafluorononyl methacrylate, 273

1,3-Butadiene, 595

2,5-bis(trimellitimido)chlorobenzene (**I**), 1691

4Chain extension, 2121

ABS, 1543
Absorber, 855
Acetanilide, 303
Acetobacter xylinum, 1007
Acid/base, 319
Acrylamide, 739, 1385
Acrylic acid, 1455
Acrylic powders, 1781
Acrylic PSA, 651
Acrylonitrile, 1385
Acrylonitrile butadiene rubber (NBR), 2335
Acrylonitrile-butadiene-styrene copolymers, 423
Activated swelling method, 2271, 2291
Activation energy, 2245
Active site, 293
Acylation, 1101
Acylchitosan microspheres, 747
Adhesion, 2191
Adhesives, 2313
Adsorption, 819, 1657, 1841
Adsorption characteristics, 999, 2227
Adsorption properties, 2069
AFM, 319
Alder Ene reaction, 503
Alkali treatment, 623
Alkoxy disilane, 293
Alkylaminopyridines, 1101
Aluminum, 1665
Amine-cured epoxies, 699
Amylose, 2147
Analyticity, 143
Anchored zirconocene on silica with spacer, 1071
Anionic polymerization, 2039
Annealing, 289
Antiozonants, 1987
Aqueous medium, 1293
Aqueous systems, 2409
Aqueous-based PU, 903
Aromatic diamines, 1691
Aromatic poly(amide-imide)s, 1691
Asymmetric membrane, 1789
Asymmetric polysulfone membrane, 1367
Atmospheric pressure plasma, 319
ATR FTIR spectroscopy, 1

Basic chromium sulfate, 2245
Beechwood, 1515
Benzene permselectivity, 233
Benzene/cyclohexane mixture, 233
Bicomponent fibers, 11, 1163
Biodegradability, 1953
Birefringence, 361
Bismaleimide, 665, 2049
Bis-spiropyranes, 259, 267
Blend, 1677
Blend films, 1563
Blends, 39, 75, 135, 415, 423, 603, 833, 847, 1029, 1125, 1153, 1405, 1543, 1641, 1851, 2049, 2169, 2335
Block copolymers, 1385, 1915
Block molecular weight, 1739
BR/CR/SS blends, 215
Building technology, 483
Butadiene rubber, 729
Butadiene–styrene block copolymer, 151
Butyl acrylate colloids, 547

Can coating, 1347
Carbon black, 729
Carbon dioxide diffusion, 2391
Carbon dioxide sorption, 2391
Carbon fiber, 1175, 1893
Carbon film, 2219
Carboxylic acids, 2179
Caseins, 471
Catalyst, 293, 353, 665
Catalysts, 595
Cation-exchange hollow fiber membrane, 999, 2227
Cationic species, 875
Cellobiose, 1441
Cellulose, 1441, 1797, 1969
Cellulose acetate, 1657
Cellulose ester, 573
Cellulose triacetate, 377
Chain extender, 1827
Chain structure, 93
Characterization, 83
Chelating, 409
Chelating hollow fiber membrane, 999
Chemical conversion, 135
Chitin, 189
Chitosan, 671, 1905
Chitosan microspheres, 747
Chlorinated polyethylene, 855
Chromatographic packing, 2271
Chromic acid, 1041
CHT diagram, 915
Cibacron Blue F3GA, 1397
Clarification, 2303
Coagulation and flocculation, 1325
Coating, 1665
Cobalt, 2227
Color removal, 1841
Combined metallocene catalyst system, 1753
Compatibility, 471
Compatibilization, 603, 967, 1461, 2017, 2049
Compatibilizer, 531, 847
Complex polymer solid electrolytes, 2059
Composite, 1505, 1537, 1797
Composite materials, 483, 887
Composites, 185, 775, 841, 2329
Composition, 93
Concrete pore solution, 483
Conducting polymers, 713, 1361, 2059
Conductivity, 2169
Constrained geometry catalyst, 1753
Contact angle, 319, 541, 1049, 1175, 1893
Conversion, 1347
Conversion-time plots, 761

Copolymer, 1049
Copolymer emulsion, 2209
Copolymerization, 2253
Core-shell particles, 493
Cornstarch plastics, 2147
Corona discharge, 243
Corrosion protection, 585
Coupling agent, 333
CR, 551
Crazing, 2155
Creep, 1505, 1949
Crosslink density distribution, 1055
Crosslinked chitosan, 2069
Crosslinked chitosan acetate crown ethers, 2069
Crosslinked copolymer of methyl vinyl ether and maleic anhydride, 67
Crosslinked polyacrylic acid, 67
Crosslinked structure, 233
Crosslinker, 439
Crosslinking, 59, 671, 1063, 1525, 1581, 1835
Cross-linking, 2147
Crosslinking agent, 1607
Crystal growth rate, 579
Crystal structure, 387
Crystallinity, 151, 361, 1873
Crystallization, 423, 1133, 1153, 1283, 1677
Crystallization behavior, 687
Crystallization regimes, 579
Cu^{+2}/Mandelic acid redox pair, 739
Curatives, 959
Curing diagram, 915
Curing kinetic, 1239
Cycle-averaged BEM analysis, 339
Cyclic compounds, 1657
Cyclic transient mold temperature, 339

DCPD adducts, 2129
Deformation, 1543
Deformation-induced plasticization, 2319
Degradation, 937, 1223
Degradation kinetics, 565, 573, 2201
Delamination toughness, 1461
Dental filling materials, 2033
Dental restorative composite, 2033
Deoxy(thiosulfato)chitin, 189
Deprotection, 2039
Dielectric properties, 551
Dielectric relaxation, 1209
Diepoxides, 2121
Diepoxy, 1827
Differential scanning calorimetry (DSC), 687, 1153
Differential sorption, 1431
Diffusion, 449, 483, 1525, 2391
Diglycidyl ether of bisphenol A, 953
Diisocyanate, 439
Diluent, 1469
Diol, 439
Diphenyldiacetylene, 289
Direct blue 14, 1007
Direct blue 53, 1007
Disordered carbon, 289
Dispersion polymerization, 2271, 2291
Dissolution precipitation, 371
Distribution of activation energy in the process of thermal degradation, 975
Divinylbenzene, 2271
DMTA, 1089
Dodecafluorocyclohexane, 1627
Doped polymers, 547
Doping, 115
Doping-dedoping-redoping method, 615
DRIFT, 1969
Drug delivery systems, 747
Drug release, 221, 303, 747
Drug release systems, 1819
DSC, 1089
Dual-phase, 1835
Durable flame-retardant finish, 975
Dye–cellulose complex, 1007
Dynamic adsorption behaviors, 2409
Dynamic mechanical analysis, 21, 1959
Dynamic mechanical analysis (DMA), 415
Dynamic mechanical thermal analysis, 531
Dynamic storage modulus, 1977
Dynamic viscoelastic properties, 1649
Dynamic vulcanization, 151

Ehrenfest relations, 143
Elastomeric sealant, 59
Electrical conductivity, 401
Electrical hysteresis, 887
Electrical properties, 401
Electrochemical method, 2075
Electrochemical oxidation, 115
Electrochemical polymerization, 1665
Electroconducting composites, 2329
Electrodeposition, 1293
Electrolytes, 2059
Electron microscopy, 215, 2271
Electron spin resonance (ESR), 115
Electrooptical effects, 455
Electropolymerization, 1665
Elongation at break, 2335
Elongational viscosity, 2381
Emulsion polymerization, 1347, 2209, 2419
Environmental stress cracking, 2155
EPDM, 1247, 1257
Epoxidized natural rubber, 855
Epoxidized natural rubber (ENR), 557
Epoxidized NR (ENR), 2365
Epoxy, 483, 721
Epoxy curing, 2129
Epoxy resin, 177, 207, 585, 1239
Epoxy resins, 29, 699, 1101
Epoxy systems, 787
Epoxy–amine systems, 2401
Epoxy-acrylate, 1347
ESR, 1203
Etching, 1041
Ethyl cellulose, 1303
Ethylene, 693
Ethylene and propylene rubber, 125
Ethylene polymerization, 1071, 2253
Ethylene propylene diene terpolymer, 1959
Ethylene propylene rubber blends (EPM), 1405
Ethylene–propylene–diene terpolymer, 523
Ethylene–vinyl acetate (EVA) copolymers, 1063
EVAc, 551
Evaporation conditions, 1367
Excimer laser irradiation, 2027
External donor, 293
Extraction, 1995

Fiber brittleness, 11
Fibers, 11, 1923
Filler, 557
Films, 163, 1361
Fine structure, 1163
Fire retardancy, 1863
Flame retardant acrylonitrile–butadiene–styrene, 865
Flory–Huggins interaction parameter, 953
Fluorinated surfactants, 163

Fluorine-containing monomer, 1499
Fluoroalkylfumarate, 1049
Fluoroelastomers, 1525
Formaldehyde, 2245
Fourier transform-infrared spectroscopy (FTIR), 595
Fraction, 93
Free radical bulk polymerization, 2101
Free radical grafting, 125
Free volume, 207, 449
Free-radical retrograde-precipitation polymerization, 761
FTIR, 197, 215
FTIR spectroscopy, 1969
Functionality, 1953
Furfuryl alcohol negative photoresist, 1749

Gamma irradiation, 1515
Gas channel, 339
Gas membrane separation, 2385
Gas membranes, 2385
Gas permeation, 163
Gas separation, 1367
Gas separation membranes, 163
Gas-assisted injection molding, 339
Gel permeation chromatography, 371
Gel time, 1239
Gelatin, 465, 1721
Gelatin–trimethylolphenol blends, 1721
Gelation, 517
Glass bead, 687
Glass fiber, 1537
Glass transition, 143, 1209
Glass transition temperature, 197, 207, 431, 1147, 1703, 1977
Glass transition temperature (T_g), 39
Glassy polymer, 2007
Glassy polymers, 1469, 2319
Glycidyl methacrylate, 125
GMA copolymer, 903
Graft, 2017
Graft copolymerization, 189, 631, 643, 739
Graft polymerization, 273, 1491
Grafted styrene–maleic anhydride, 865
Grafting, 251, 1771, 2163
Grafting reaction, 1175, 1893
Guar gum, 471, 739

Hardwood, 1969
Heat distortion temperature, 541
Heating system failure, 2101
Heating-resistance fiber, 565
Heavy metal, 1325
Heterocyclic systems, 1017
Heterogeneous single site catalyst, 1071
Hexafluoroisopropylidene, 823
High 1,4-microstructure, 1315
High molecular weight coupling agent, 865
High molecular weight poly(ethylene terephthalate) (PET), 1283
High pressure, 289
High-density polyethylene, 1375
High-density polyethylene (HDPE), 799
High-performance thermosets, 1809
High-resolution thermogravimetry, 565, 573, 1887, 2201
High-speed spun high molecular weight poly(ethylene terephthalate) filaments, 1283
HIPS, 2017
Hollow fiber membranes, 643
Holographic system, 1749
Homogeneous distribution, 2253
Homogeneous poly(e-caprolactone)-epoxy blends, 75
HPLC, 1657
HPSEC, 1905
Humidity, 47
Hybrid, 1597
Hybrid composite, 541
Hybridized copolymer, 903
Hydration properties, 1209
Hydrocortisone, 1823
Hydrogel, 221, 449, 1597
Hydrogenated oligocyclopentadiene, 1677
Hydrogenated styrene–butadiene copolymer (HSBR), 1581
Hydrolysis, 927, 1223
Hydrophilic monomer, 47
Hydrophilic polyols, 2313
Hydrophobic membranes, 1615
Hydroxyl-terminated oligobutadienes, 953
Hydroxyl-terminated polyester resins, 29
Hydroxy-terminated hyperbranched polyester (HBP), 1809
Hydroxy-terminated polybutadiene, 1731

Hysteresis, 959

Imide-modified polyurethane, 1731
Iminodiacetic acid, 999
Impact copolymer polypropylene, 93, 103
Impact resistance, 1959
In situ jute yarn composite, 841
Incompatibility, 1959
Incomplete microphase separation, 1209
In-situ copolymerization, 1515
Interaction parameter, 1851
Interactions, 471
Interface adhesion, 1405
Interfaces, 775
Interfacial behavior, 805
Interfacial resistance, 1431
Interfacial shear strength, 243
Interferometric, 361
Intermediate super abrasion furnace (ISAF) carbon black, 557
Intermolecular interaction, 1987
Interpenetrating polymer network, 1081, 1977
Interpenetrating polymer networks, 7
Interphase, 2075
Intraparticle diffusion process, 2409
Inverse gas, 693
Iodine, 115, 1303
Ion-exchange membrane, 387
Ionic conductivity, 1711
Ionic crosslinking, 903
Ionomeric polyblends, 1247, 1257
IR, 1231
Irradiation, 1375, 2163
Isothermal lifetime, 2201
Isothermal thermogravimetric analysis, 833
Itaconic acid grafting, 1771

Joining, 775
Jute thermoplastics composite, 531

Kevlar fiber, 565
Kinetics, 47, 721, 927, 1923, 2401

Lactones, 1941
Large uniform particles, 2291
Laser ablation, 2027
Latex, 47
LCP, 1107
LDPE, 1089, 1771
Lewis acids, 503
LICA 44, 865

Light scattering, 927
Lignin, 1969
Limiting oxygen index, 975
Linear polyurethanes, 83
Liquid crystalline monomer and polymer, 1893
Liquid crystals, 455
Liquid crystal-type oligomer, 177
Lithium battery, 1835
LLDPE, 967
Long-chain branching, 1753
Loss modulus, 1505
Loss of elastic property, 1607
Low carbon steel, 2075
Low molecular weight diluents, 2319
Low molecular weight liquid rubber diluents, 1469
Low styrene emission glass fiber, 1555
Low viscosity prepolymers, 1809
Low-density polyethylene, 687, 1041
Low-density polyethylene (LDPE), 799

Macromolecular coupling agent, 1537
Macroporous beads, 2291
Macroporous styrene–divinylbenzene copolymers, 1055
Magnetic polyolefin, 2087
Magnetic properties, 409
Magnetic susceptibility, 409
Maleated polypropylene, 333, 531
Maleation, 503
Maleic anhydride copolymers, 927, 1447
Maleimide, 665
Mannich amines, 2129
Manufacturing, 775
Mark–Houwink viscometric constants, 1905
Mass transport process, 2409
Mastication, 729
Mechanical instability, 813
Mechanical properties, 1375, 1797
Melt-intercalation process, 1133
Melt rheology, 1641, 1649, 1739
Membrane, 1657
Membrane transport, 2179
Membranes, 671, 2179, 2365, 2385
Merrifield resin, 1933
Metal chelating properties, 1397
Metal clusters, 547
Metal ions, 2069
Metallized films, 1361
Metallocene amide, 875
Metallocene catalyst, 897
Metallopolymer complexes, 401, 409
Methacrylic acid, 1175
Methyl methacrylate, 189, 251, 1455
Methylaluminoxane, 2253
Michael addition, 1491
Microfiltration, 2303
Microgel, 67
Microgels, 493
Microlayers, 1461
Micron-sized beads, 2259
Microscopy, 1555
Microsphere, 1223
Microstructure, 699
Microwave plasma, 1
Migration, 1987
Miscibility, 651
Mixtures, 2155
MMA-*g*-EPDM, 1959
Modeling, 311
Modulus, 799
Moisture diffusion, 787
Molecular imprinting, 1819, 1823
Molecular mass, 1447
Molecular mechanics, 1703
Molecular structure, 729
Molecular weight, 721, 2381
Molecular weight fractions, 579
Molecularly imprinted poly(HEMA), 1819
Monodisperse beads, 2271
Monodisperse crosslinked PS beads, 2259
Monodisperse particles, 2291
Monomers, 2329
Morphology, 103, 135, 311, 603, 847, 937, 1139, 1163, 1375, 1555, 1677
Mortars, 1781
Multifunctional methacrylates, 2033
Multistage seeded emulsion polymerization, 2259
Multivariate regression analysis, 243

Nanocrystalline titania, 665
Nanometer magnetic catalyst, 2087
Nanoscale composites, 1139
Narrow molecular weight distributions, 1315
N-aryl succinimide, 1187
Natural fibers, 623
Natural rubber latex, 1333
Natural rubber (NR), 2365
Natural rubber vulcanizate, 1995
Negative coefficient of temperature effect, 887
Neodymium chloride tripentanolate catalysts, 595
New polymer magnetic material, 2087
Newtonian polymer fluid, 2303
N-isopropylacrylamide-*co*-acrylamide-*co*-2-hydroxyethyl methacrylate gel, 221
NLO materials, 1017
NMR-scale reaction, 875
Noncontact laser extensometer, 2007
Nonisothermal condition, 721
Nonisothermal crystallization, 897
Nonisothermal thermogravimetry, 2201
Nonlinear optics, 1081
Novel reactive toughening agents ($LCEU_{PPG}$), 177
NR latex, 1197
Nucleation, 1677
Nylon 6, 1153, 1405
Nylon 6,6, 197
Nylon 6/clay nanocomposites, 1133
Nylon tire cord, 1197

Octadecafluorodecalin, 1627
Oleic acid, 1267
On-line optimizing control scheme, 2101
On-line sampling, 135
Optical density, 1441
Organic–organic separation, 1615
Organoacid rare earth compound initiators, 1941
Oscillating packing injection molding, 799
Oxazolidinone-modified polyurethane, 1731
Oxidation, 1581
Oxygen diffusion, 1203
Oxygen gas barrier, 2091

PA1010, 2017
Paper flour, 333
Particle size, 1347
PDMS membrane, 273
Peel strength, 651, 2191
Pellethane, 937
Pentinol, 677
Peptides, 1933
Percolation threshold, 2169
Permeability, 197
Permselectivity, 2141
Peroxycarbonate group, 1491

Pervaporation, 233, 377, 439, 1615, 2365
Pervaporation membranes, 671
PET, 1107
PET–clay, 1139
Phase diagram, 431, 651
Phase equilibrium, 953
Phase separation, 431, 1789
Phase separation structure, 273
Phase structure, 103
Phenol, 439
Phenolformaldehyde resins, 915
Phenolic resin, 1029
Photochromic spiropyranes, 259, 267
Photochromism, 259, 267
Photocrosslinking, 1081
Photomechanical effects, 267
Photo-optical effects, 259
Photopolymerization, 2033
Photoresponsive polymers, 259, 267
Physical aging, 1949
Physical properties, 551, 1163, 1563
Plasma, 319, 1231
Plasma polymerization, 677, 2091
Plasma polymerized iso-t-pentinol, 677
Plastic deformation, 1873
Plasticization, 1469
Plasticization effect, 377
Plasticized poly(vinyl chloride) (p-PVC), 415
Plasticized PVC, 1797
Plasticizer, 2147
Platelets, 631
Plating-out method, 1361
PMMA, 1203
Polar cluster, 1597
Polarized light microscopy (PLM), 1153
Poly tetramethylene ether glycol, 2303
Polyacene, 289
Poly-acrylamide, 1563
Polyacrylonitrile (PAN), 2219
Poly(acrylonitrile-*co*-butadiene), 1835
Polyaddition optimal conditions, 83
Polyamide1010, 847
Polyamide-66, 1461
Poly(amide-imide)s, 823
Polyaniline, 2169
Polyaniline stability, 615
Polyarylates, 1017
Polyblend, 303
Polybutadiene (BR), 39
Polybutadiene diluents, 2319
Polybutadienes (PBs), 1315
Poly(butyl acrylate), 493
Poly(butylene terephthalate), 423, 1163, 1827
Polycarbazole powders, 115
Polycarbonate, 2155
Polycarbonate–acrylonitrile–butadiene–styrene blend, 1863
Polycarbonate/ABS, 311
Polychelates, 401
Polycondensates, 1703
Polycondensation, 517, 915
Polycondensation/radical gelation, 517
Poly(dimethyl siloxane), 1915
Polydioxolane, 1711
Polydispersity, 1347
Poly(EGDMA-HEMA) microbeads, 1397
Polyester, 483
Polyester resin, 1949
Polyester resin curing, 455
Polyetherimide/solvent/nonsolvent, 1789
Polyethylene, 1753
Poly(ethylene glycol), 303
Polyethylene glycol methacrylate (PEO-MA), 631
Poly(ethylene glycol)s, 1385
Poly(ethylene terephthalate), 1107, 1163, 2121
Poly(ethylene terephthalate) fabric, 2027
Poly(ethylene terephthalate) (PET), 1125
Polyethylene–LCP blends, 603
Poly(ethylene-*co*-methacrylic acid), 967
Poly(ethylene-*co*-vinyl acetate) (EVA), 2335
Poly/ethyleneterephthalate, 813
Polyhydroxyether, 1107, 1125
Polyimide, 2169
Poly(lactic acid), 1223
Polymer, 319
Polymer characterizations, 353
Polymer concrete, 1949
Polymer electrolyte, 1835
Polymer networks, 1703
Polymer reaction, 1187
Polymer-dispersed liquid crystals, 455
Polymer–filler interaction, 887, 2335
Polymeric additives, 1147
Polymerization, 59, 293
Polymerized alkinols, 677
Polymer-metal complex membrane, 233
Polymer-metal ions triple complex, 819
Polymers, 2155
Polymer-supported catalysts, 2253
Poly(methyl methacrylate), 493
Poly(MMA-*co*-4VP), 967
Poly(*N*-isopropyl-*N*-trimethylsilyl-4-vinylbenzylamine), 2039
Poly(*n*-isopropyl-4-vinylbenzylamine), 2039
Poly(*N*-methylpyrrole) coatings, 1293
Poly(ortho esters), 303
Poly(*o*-toluidine) film electrode, 2141
Polyphosphazene, 387
Polypropylene, 151, 333, 371, 503, 531, 579, 1029, 1461, 1537, 1641, 1649, 1873
Polypropylene fiber, 2237
Polypropylene grafted with maleic anhydride, 1641, 1649
Polypropylene (PP), 1153
Polypyrrole coatings, 2075
Polypyrrole films, 2059
Polysaccharides, 989
Polystyrene, 1333, 1933, 2271, 2291
Poly(styrene-*co*-butadiene), 1835
Poly(styrene-*co*-maleic anhydride), 1187
Polysulfide polymer, 59
Polysulfone, 163, 431
Poly(tetrafluoroethylene), 2191
Polytetrahydrofuran (pTHF), 713
Polyurethane, 439, 1977
Polyurethane ionomers, 1711
Polyurethane–acrylate block copolymers, 259, 267
Polyurethanes, 959
Poly(vinyl alcohol), 11
Poly(vinyl butyral), 185
Poly(vinyl chloride), 855
Poly(vinyl chloride)/acrylonitrile–butadiene–styrene (PVC/ABS) blends, 833
Poly(vinyl pyrrolidinone), 1915
Poly[(s]odium acrylate)-*co*-(4-vinylpyridine), 1953
Poly(1-butene), 1677
Poly(2-hydroxyl ethyl methacrylate), 1823
Poly(4-methyl-1-pentene), 2201
Pore generation, 1455
Pore memory, 1055
Pore structure, 1055

Pore structure variation, 1055
Porous particles, 2271, 2291
Potassium salt of pyrrole, 713
PPy/pTHF Copolymers, 713
Precipitation, 1325
Prepolymer, 353
Prepolymerization, 353
Pressure-sensitive adhesives, 2313
Prigogine-Defay ratio, 143
Printability, 1041
Probe tack, 651
Processing, 493
Property of emulsion, 2209
Propylene oligomers, 371
Propylene polymerization, 353, 875
Protective coatings, 1665
Protein films, 1267
Proteins, 2163
PVAc, 1203
PVC, 1851
PVDF, 2381
PVPy, 2163
Pyrrole end groups, 713

Quaternized cellulose, 1841

Radiation-induced graft copolymerization, 999
Radiation-induced graft copolymerization, 2227
Radiation-induced grafting, 643
Radical copolymerization, 1499
Raman spectroscopy, 2219
Rate of relaxation, 2245
Reaction mechanism, 2259
Reaction–diffusion flux, 2179
Reactive blending, 1107, 2121
Reactive extrusion, 125, 135, 503, 1827
Reactivity ratios, 1447
Recycling, 775
Redispersibility, 1781
Redox polymerization, 1385
Refractive index enhancer, 1607
Refractive index of core phase, 1607
Regenerated cellulose film, 251
Regenerated cellulose II, 1007
Remote plasma treatment, 2191
Repair, 775
Resins, 1703
Resorcinol bis(diphenyl phosphate), 1863
Resorcinol formaldehyde resin, 1197
Responsive surfactant association, 989
Retention volume, 1905
RF-cold-plasma conditions, 1627
Rheology, 603, 1239
Rheology of polymer, 2303
Rheometric mechanical spectrometry (RMS), 1315
Ring-opening polymerization, 1941
Rubber, 523, 557
Rubber blend, 887
Rubber compounding, 729
Rubber network, 729
Rubber to tire cord bonding, 1197

Salicylic acid, 1823
Salt water, 483
Scanning electron microscopy, 1959
Scanning electron microscopy (SEM), 415, 1361, 1405, 1515
Schiff bases, 1017
Season, 1987
Secondary aminostyrene, 2039
Second-order nonlinear optical materials, 7
Second-order phase transition, 143
Seeded core/shell particles, 1455
Segmental interaction parameter, 693
Segmented polyamides, 1739
Segmented polyurethanes, 83, 1209
Segmented poly(urethane-urea)s, 1615
Selective membrane, 2141
Selectivity for chlorinated hydrocarbons, 273
Self-extinguishability, 975
SEM, 1089
Semi-interpenetrating networks, 989
Separation, 819
Sequencing, 523
Sequential polymerization, 1781
Shape memory effect, 1063
Shear creep resistance, 651
Shear flow, 311
Shear viscosity, 2381
SHG stability, 1081
Silane coupling agent, 585
Silane-grafted polypropylene, 1537
Silicon oxide films, 2091
Silicone copolymers (II), 805
Siliconized acrylic copolymers, 805
Silk fibroin, 1563
Siloxane linkage, 585
Single-ionic conductors, 1711
Size exclusion chromatography (SEC), 927, 1315
Small-angle X-ray scattering, 1267
Soapless emulsion polymerization, 47
Sodium sulfite, 999
Softwood, 1969
Sol–gel process, 1597
Solid-phase peptide synthesis (SPPS), 1933
Solid residue, 1863
Solubility, 1101
Solution copolymerization, 1499
Solvent, 1367
Solvents, 21
Sorption, 1525, 2391, 2409
Soxhlet, 371
Soybean protein, 11
Spatial resolution, 1749
Spinning, 1163, 1283
Staling of bread, 1147
Starch acetate, 1851
Starch xanthate, 1325
Static properties, 1977
Statistically designed experiments, 1347
Steel, 1293
Steel corrosion, 585
Stilbene isomerization, 1081
Stoichiometry, 699, 959
Storage modulus, 1505
Stress oscillation, 813
Stress reaction, 2049
Stress–strain behavior, 2335
Stress–strain curves, 2007
Structure–property relationships, 623
Styrene, 125, 1455, 1581, 2227, 2419
Styrene–butadiene–styrene triblock copolymer (SBS), 39
Styrene-*N*-aryl succinimide copolymer, 1187
Substrate influence, 915
Sulfonamido group, 1499
Sulfonation, 387
Sunflower stalks, 1841
Supported metallocene, 1071
Surface, 319
Surface analysis, 1049
Surface energy, 319
Surface-enhanced infrared absorption (SEIRA), 1231
Surface metallization, 2191
Surface modification, 1231, 2191
Surface oxidation, 557
Surface reactions, 1
Surface roughness, 243
Swelling, 361, 1525, 1797, 1995

Swelling kinetic, 221
Swelling sorption, 377
Syndiotactic polypropylene, 813, 897
Synthesis, 2069

Tackifier, 651
Tan δ, 1505
t-Butylperoxy-2-methacryroyloxyethylcarbonate, 1491
Teflon-like macromolecular structures, 1627
Temperature effect, 1203
Temperature rising elution fractionation, 897
Tensile properties, 493, 1721
Tensile strength, 799, 1835, 2335
Ternary blends, 2319
Testosterone, 1819
Textile wastewater treatment, 1841
Thermal analysis, 465
Thermal decomposition kinetics, 2237
Thermal degradation, 573, 833, 2201
Thermal degradation kinetics, 1923
Thermal expansion, 207
Thermal stability, 151, 387, 547, 1563, 2237
Thermally, 361
Thermodynamic compatibility, 953
Thermogravimetric analysis, 1995
Thermogravimetric curve, 975
Thermomechanical analysis, 729, 1703
Thermooxidative degradation, 573
Thermoplastic, 1809
Thermoplastic blends, 311
Thermoplastic elastomers, 1247
Thermoplastic elastomers (TPEs), 1405
Thermoplastic polyurethane (TPU), 415
Thermostability, 573, 2201
Thermotropic liquid crystalline polymer (TLCP), 1125
Thin films, 677
Time–aging time equivalence principle, 1949
Titania, 185
Topological structure, 729
Tosyl–chitin, 189
Toughening, 1333, 1469
Toughening agents, 29
Toughness, 1543
Transesterification, 75, 1863
Transparency of toughened PMMA, 1607
Transparent nonporous membranes, 2365
Trimellitic anhydride, 823
Trimethylolphenol, 1721
Triphenyl phosphite, 823
TTT diagram, 915

UHMWPE fiber, 243
Ultrafine silica, 1491
Ultrasonic irradiation, 251
Unbound materials, 1995
Unidirectional laminates, 541
Unified CAE model, 339
Unique characteristic, 449
Unsaturated polyester laminates, 1555
Unsaturated polyester resins, 21
Urea–formaldehyde resins, 915
Urethane acrylate anionomer, 1597
UV light treatment, 2237
UV radiation, 841

Variable heating rate thermal degradation, 565
Vibration, 855
Vinyl ester, 483, 1977
Vinyl ester resins, 21
Vinylacetate, 693
Viscose, 361
Viscosity, 39, 67, 1239, 1447, 1851
Visible light curing, 2033
Vitrification, 431
VP latex, 1197

Wall slip, 67
Water, 483
Water absorption, 465, 1711
Water sorption, 197, 2033
Water swellability, 1721
Weight average molecular weight, 1905
Welding, 775
Wettability, 319, 541
Wide-angle X-ray scattering, 1267
WLF equation, 207
Wood, 1515
Wood adhesives, 915

XPS, 319
XPS, 1041
X-ray photoelectron spectroscopy, 1049
X-ray photoelectron spectroscopy (XPS), 115

Young's modulus, 2335

Zein, 1267
Zeta potential, 1175, 1893
Ziegler–Natta catalyst, 2087
Zinc chloride, 1441
Zinc dimethacrylate, 1499
Zinc salt, 1247, 1257
Zinc stearate, 1257
Zinc–sugar complexes, 1441

4-*tert*-butylcatechol (TBC), 2419